Annual Index

Volume 71
1994

Subject

A

Acetylenic Fatty Acids, Identification in *Jodina rhombifolia* Seed Oils,
acetylenic fatty acids, 1343
epoxy fatty acids, 1343
gas chromatography/mass spectrometry, 1343
hydroxy fatty acids, 1343
Jodina rhombifolia, 1343
nuclear magnetic resonance spectroscopy, 1343
Santalaceae, 1343
Activity of Oat Extracts in Soybean and Cottonseed Oils Under Frying Conditions,
antioxidants, 1087
autoxidation, 1087
cottonseed oil, 1087
oats, 1087
oxidation, 1087
polymerization, 1087
soybean oil, 1087
Adsorption Sites,
acidic active site, 189
adsorbent, 189
adsorption, 189
basic active sites, 189
determination of active filter aid by temperature-programmed desorption, 189
free fatty acids, 189
temperature-programmed desorption, 189
used frying oils, 189
Adulteration of Milkfat,
dehydroxylated sterols, 1381
detection of refined animal and vegetable fats, 1381
pure milkfat, 1381
refined fats, 1381
Alkyl Glycidyl Ethers in Synthesis,
addition reactions, 1027
alkoxy ketone, 1027
glycerclether and derivatives, 1027
monoalkylethers, 1027
Williamson ether synthesis, 1027
n-Alkylamines, density and molal volumes from 15 to 80°C,
density, 1297
molal volumes, 1297
n-alkylamines, 1297
Allylic Hydroxy Oleates,
boron triflouride, 1149
conjugated linoleic acid, 1149
tetramethylguanidine, 1149
Alpha-Linolenic Acid Isomers,
alpha-linolenic acid, 907
analysis of in deodorized oils, 907
cyanoalkyl polysiloxane stationary phase, 907
deodorized oils, 907
fatty acid methyl esters, 907
gas–liquid chromatography, 907
geometrical isomers, 907
temperature effects, 907
trans fatty acids, 907
Amino Acids,
amino acids, 645
antioxidant efficiency of in methyl linoleate, 645
antioxidants, 645
antioxidation, 645
methyl linoleate, 645
relative humidity, 645
Analysis Phospholipids,
by high-performance capillary electrophoresis, 183
capillary electrophoresis, 183
micellar electrokinetic chromatography, 183
phosphatidylcholine, 183
phosphatidylethanolamine, 183
phosphatidylinositol, 183
phosphatidylserine, 183
phospholipids, 183
Animal Fats in Butter,
animal fats, 807
butterfat adulteration, 807
detection of by differential scanning calorimetry pilot study, 807
differential scanning calorimetry, 807
fat quality control, 807
Antioxidant Activity of Oat Extracts in Soybean and Cottonseed Oils,
antioxidant, 1079
cottonseed oil, 1079
oats, 1079
oxidation, 1079
soybean oil, 1079
Antioxidants,
activity of in solutions and irradiated systems, 519
antioxidant activity, 519
butylated hydroxyanisole, 519
butylated hydroxytoluene, 519
β-carotene, 519
irradiated food model, 519
lipid peroxidation, 519
solid support, 519
α-tocopherol, 519

B

Babassu Fat,
acidolysis of babassu fat with immobilized lipase, 579
babassu fat, 579
immobilized lipase, 579
interesterification, 579
isoteric heats of sorption, 579
monolayer moisture content, 579
water sorption isotherms, 579
Bacterial Phospholipids,
docosahexaenoic acid, 325
incorporation of exogenous acids into, 325
phospholipids, 325
eicosapentaenoic acid-producing bacterium, 325
Bleaching of Rapeseed and Soybean Oils with Synthetic Adsorbents and Attapulgites,
adsorbents, 595
adsorption isotherm, 595
attapulgite, 595
bleaching, 595
β-carotene, 595
free fatty acids, 595

tocopherols, 595
Borage and Primrose Acids,
borage oil, 563
evening primrose oil, 563
γ-linolenic acid, 563
linolenic acid concentrates *via* lipase esterification, 563
lipase-catalyzed esterification, 563
Borage Oil,
geometrical isomers of, 117
heated oil, 117
α-linolenic acid, 117
γ-linolenic acid, 117
trans fatty acids, 117
Butter, Limit of Solid Fat Content Modification, 1373
butter oil, 1373
high-melting glycerides, 1373
interesterification, 1373
solid fat content, 1373
Butterfat Fractions,
butter oil, 795
differential scanning calorimetry, 795
dry fractionation, 795
milk fat, 795
solvent extraction, 795
solvent fractionation, 795
thermal behavior of, 795
tripalmitin–butterfat mixtures, 795
Butylated Hydroxyanisole as Food Additive
butylated hydroxyanisole, 233
food additives, 233
Food and Drug Administration, 233
GRAS/food additives, 233
U.S. Code Federal Regulations, 233

C

Canola Meal,
antioxidant activity, 551
canola meal, 551
chromatographic separation of glucopyranosyl sinapate from, 551
glucopyranosyl sinapate, 551
high-performance liquid chromatography, 551
phenolics, 551
Sephadex LH-20 chromatography, 551
Canola Oil,
accelerated oxidation, 817
antioxidant activity, 817
autoxidation, 435
bleaching, 401, 1123
canola extracts as natural antioxidants for, 817
chlorophyll, 811, 1123
chlorophyll analysis, 811
chlorophyll derivatives in commercially-extracted, 811
decreased stability from green seed, 1123
deodorization, 401
fractionation of thermally oxidized by supercritical fluids, 615
heated oil, 615
high-performance liquid chromatography, 401
high-performance size-exclusion chromatography, 615
light scattering detector, 615
mass spectra, 401
natural antioxidants, 817
oxidation, 615
oxidative stability, 817
pheophytin, 811
photooxidation, 435
pigments, 401, 811
polymerization, 615
processing, 811
pyropheophytin, 811
sensory, 435
sensory stability of shelf life studies, 435
separation and characterization of pigments from, 401
shelf life, 435
stability, 435, 1123
storage, 811
supercritical fluid extraction and fractionation, 615
synthetic antioxidants, 817
vegetable oil, 1123
Canola Oil Sedimentation,
canola sediment, 409
crystal growth, 409
crystal morphology, 409
differential scanning calorimetry, 409
effect of crystallization conditions on, 409
lecithin, 409
melting, 409
wax, 409
Canola Seed and Oil,
Brassica, 931
canola oil, 931
canola seed, 931
chlorophyll, 931
chlorophyll analysis, 931
chlorophyll measurements in, 931
high-performance liquid chromatography, 931
pigments, 931
spectrophotometer, 931
Canola Seed Coat Lipids,
Brassica napus, 221
canola, 221
fatty acids, 221
proportion of fatty acids in, 221
seed coat, 221
surface lipids, 221
triacylglycerols, 221
wax esters, 221
Canola Triacylglycerols with Altered Fatty Acid Composition, Oxidative Stability and Glyceride Structure,
autoxidation, 1101
canola oil, 1101
oxidative stability, 1101
peroxide value, 1101
photooxidation, 1101
stereospecific analysis, 1101
triacylglycerols, 1101
β-Carotene,
color, 893
kinetics, 893
kinetics of degradation on heating, 893
phenylalanine, 893
trans β-carotene, 893
Castor Oil,
castor oil derivatives, 543
cyclization, 543
9,12-epoxyoctadecanoate, 543
isomerization, 543
methyl ricinoleate, 543
2-nonenal, 545
ozonolysis, 545
synthesis of (*E*)-2-nonenal from, 545
synthesis of methyl 9,12-epoxyoctadecanoate from, 543
Castor Oil and Oleic Acids,
castor oil, 1035
cobalt, 1035
esterification, 1035
esterification kinetics of effects of Lewis acids, 1035
kinetics, 1035
Lewis acid catalysts, 1035
oleic acid, 1035
tin chloride, 1035
Castor Seed Meal,
allergen, 827
castor seed meal, 827
detoxification, 827
detoxification of, 827
ricin, 827

ricinine, 827
sal seed meal, 827
tannin, 827
Chlorophyll Adsorbent,
benefits and limitations of a novel, 397
bleaching earth, 397
canola oil, 397
chlorophyll adsorption, 397
silica, 397
Chlorophyll Pigments,
canola seed, 1327
characterization in ripening canola seed, 1327
chlorophyll, 1327
chlorophyll analysis, 1327
chlorophyll breakdown pathway, 1327
chlorophyll catabolism, 1327
green seed, 1327
high-performance liquid chromatography, 1327
pheophytin, 1327
ripening, 1327
Chocolate Bloom,
dark chocolate, 267
effect of milkfat fractions on, 267
fat bloom, 267
fractionation, 267
milk fat fractions, 267
Cholesterol,
autoxidation, 623
cholesterol oxidation, 867
cholesterol oxides, 623
determination of in eggs by gas chromatography, 867
distillation, 609
effects of unsaturation on oxidation, 623
eggs, 867
fish oils, 623
fractionation, 609
gas chromatography, 867
hydrogenation, 623
hydroxycholesterols, 623
keto cholesterols, 623
milk fat, 609
polyunsaturated fatty acids, 623
reduction of from butter and lard by short-path distillation, 609
triacylglycerols, 623
Cholesterol Removal from Fats and Oils by Cyclic Anhydrides,
animal fats, 1205
cholesterol removal, 1205
cyclic anhydrides, 1205
hydroxy fatty acids, 1205
tocopherols, 1205
cis/trans Triacylglycerols in Hardened Fat, Separation by Silver-Ion High-Performance Liquid Chromatography,
cis/trans unsaturation, 1219
silver-ion high-performance liquid chromatography, 1219
trans-hardened fats, 1219
triacylglycerols, 1219
Civetone,
civet, 911
civetone, 911
diethyl 9-octadecenedidoate, 911
ethyl oleate, 911
2-ethoxycarbonyl-9-cycloheptadecenone, 911
metathesis, 911
palm oil, 911
synthesis of from palm oil, 911
Coincya (*Brassicaceae*),
Brassicaceae, 671
Coincya, 671
leaf wax alcohols, 671
leaf wax alcohols in, 671
Confectionery Fats,
anhydrous milk fat, 803
cocoa butter blends, 803
confectionery fats, 803
differential scanning calorimetry, 803
hydrogenated palm kernel stearin, 803
melting and solidification of, 803
Conjugated Fatty Acid Derivatives,
conjugated diene and triene C_{18} acids, 873
4,4-dimethyloxazolines, 873
fatty acids, 873
gas chromatography/mass spectrometry analysis, 873
mass spectra of, 873
Cottonseed,
cottonseed lipids, 1353
cottonseed storage, 459
ethanol extraction, 1353
extraction with supercritical carbon dioxide and co-solvents, 1353
free fatty acids, 459
gossypol, 1353
hexane, 1353
microwave heating, 459
moisture, 459
oil color, 459
phosphatides, 1353
pilot plant, 459
polysaccharides, 1353
protein, 459
supercritical fluids, 1353
Crepis alpina Oil,
alkynoic acids, 853
crepenynic acid, 853
flame-ionization detection, 853
high-pressure chromatography of, 853
triacylglycerols, 853
Crystallization of Palm Oil,
by solid fat content, 1135
crystallization, 1135
kinetics, 1135
palm oil, 1135
solid fat content, 1135

D

Deferoximin,
antioxidant, 641
deteroxamine, 641
properties as antioxidants, 641
soy lipoxygenase, 641
Determination of nitrogen in oilseeds,
canola, 1069
combustion analysis, 1069
combustion vs. Kjeldahl, 1069
Dumas, 1069
flaxseed, 1069
Kjeldahl, 1069
mustard seed, 1069
protein, 1069
rapeseed, 1069
soybean, 1069
sunflowerseed, 1069
Diacylglycerol Formation by Enzymatic Glycerolysis of Hydrogenated Beef Tallow,
diacylglycerols, 339
diglycerides, 339
glycerol, 339
hydrogenated beef tallow, 339
triglycerides, 339
Diene Fatty Acids,
conjugated dienes, 1321
fatty acids, 1321
high-performance liquid chromatography, 1321
hydrogenated fats, 1321
in partially hydrogenated fats by liquid chromatography–mass spectrometric analysis, 1321
lipoperoxidation, 1321

mass spectrometry, 1321
spectrometry, 1321
Diglycerides and Conjugated Triglycerides,
behavior in reversed-phase chromatography, 1173
diglycerides, 1173
reversed-phase high-performance liquid chromatography, 1173
triglycerides, 1173
Dihydroxy Diastereomers,
chiral-phase high-performance liquid chromatography, 547
diastereomers, 547
dihydroxy fatty acid, 547
enantiomer, 547
resolution of by high-performance liquid chromatography, 547
Dimorphotheca pluvialis Seed Oil,
dimorphecolic acid, 313
Dimorphotheca pluvialis, 313
expelling, 313
extraction of, 313
hydroxy fatty acids, 313
oil recovery, 313
solvent extraction, 313
supercritical fluid extraction, 313

E

Edible Oils, Assessment of Thin-Film Oxidation,
film, 1309
oxidation, 1309
stability, 1309
Edible Spreads,
by nuclear magnetic resonance self-diffusion, 513
determination of water droplet size in, 513
emulsion droplet size, 513
low-calorie spreads, 513
margarines, 513
nuclear magnetic resonance, 513
restricted diffusion, 513
water/oil emulsions, 513
Eicosapentaenoic Acid Recovery from Fungal Mycelia Extraction,
colloid mill, 947
fatty acid, 947
hexane, 947
isopropanol, 947
lipid, 947
polyunsaturated fatty acid, 947
Pythium irregulare, 947
Eicosapentaenoic Oil Acid Production,
algal oil, 941
eicosapentaenoic acid, 941
polyunsaturated acid production, 941
Emulsions,
crystallization, 1385
emulsion, 1385
interdroplet nucleation, 1385
nuclear magnetic resonance, 1385
oil-in-water by nuclear magnetic resonance monitoring, 1385
Epoxidized Soybean Oil, Analysis of,
capillary gas chromatography, 669
epoxidized soybean oil, 669
epoxy fatty acid methyl esters, 669
extraction, 669
gas chromatography, 669
Estolides,
acid-catalyzed condensation of oleic acid into estolides, 169
mineral acids, 169
montmorillonite, 169
oleic acid, 169
perchloric acid, 169
polyestolides, 169
stearolactone, 169
Estolides from Acid-Catalyzed Condensation of Oleic Acid,
estolides, 379
gas chromatography/mass spectrometry, 379
nuclear magnetic resonance, 379
oleic acid homopolymers, 379
oleic oligoesters, 379
polyestolides, 379
Evening Primrose and Borage Oil,
borage oil, 569
enrichment of γ-linolenic acid from, 569
evening primrose oil, 569
γ-linolenic acid, 569
lipase-catalyzed hydrolysis, 569

F

Fatty Acid Methyl Ester Preparation for Gas–Liquid Chromatographic Analysis,
derivatization, 1179
fatty acid methyl esters, 1179
gas chromatography, 1179
lipid analysis, 1179
n-3 Fatty Acids,
analysis of by ozonolysis, 653
capillary gas chromatography, 653
fish oils, 653
hydrogenation, 653
ozonolysis, 653
triphenylphosphine, 653
unsaturated n-3 fatty acids, 653
Fatty Amides,
alkanolamides, 863
amidation, 863
diamides, 863
methyl tallow, 863
palmitic acid, 863
preparation of secondary, 863
tallow, 863
tripalmitin, 863
Fatty Amine Synthesis from Esters or Nitriles,
amination of fatty esters, acids, 1231
copper chromite catalysts, 1231
hydrogenation of nitriles, 1231
influence of promoters, 1231
influence of supports, 1231
manganese, 1231
n-methylation of amines, 1231
Fish Oils,
cholesterol, 355
chromatography, 355
diglycerides, 463
enzymatic enhancement of n-3 fatty acids in, 463
n-3 fatty acids, 463
fish oils, 463
lipase, 463
monoglycerides, 463
supercritical carbon dioxide, 355
supercritical fluid chromatography, 355
supercritical fluid chromatography of, 355
triacylglycerols, 355
triglycerides, 355, 463
wax esters, 355
Flavor Compound, Formation in Thermally Treated Fats,
autoxidation, 1315
baking margarine, 1315
trans-4,5-epoxy-(*E*)-2-decenal), 1315
flavor formation, 1315
flavor precursors, 1315
Flaxseed,
cyanogenic glycosides, 603
extraction of oil and antinutritional compounds from, 603
flax, 603
Karr column extraction, 603
methanol–ammonia solvent, 603

two-phase extraction, 603
Flaxseed Lipids,
adsorption, 629
flaxseed, 629
flaxseed muffins, 629
γ-linolenic acid, 629
oxidation, 629
stability of during baking, 629
Fourier Transform Infrared,
attenuated total reflectance, 371
butter, 371
characterization of edible oils, butter, margarines by, 371
fatty acid composition, 371
margarine, 371
mid-infrared spectroscopy, 371
unsaturation, 371
water, 371
Frying Oils,
degradation, 1301
fatty acid composition, 495
flavor, 1301
flavor quality, 495, 1301
fried food flavor, 1301
frying oil assessment, 1301
frying stability, 495
laboratory simulation commercial processing, 495
linolenic acid, 495
low-linolenic acid soybean oil as, 495
odor, 495
quality, 1301
room odor, 495
sensory testing, 495
soybean oil, 495
soybeans, 495
stability measurements and fried food flavor review, 1301
volatiles, 1301

G

Gel Formation in 12-Hydroxystearic Acid/Soybean Oil System,
alkali metal soap, 857
gel formation, 857
gels, 857
helical aggregate, 857
helix, 857
12-hydroxy stearic acid, 857
yield strength, 857
Genetically-Modified Soybeans,
fatty acid composition, 157
flavor quality, 157
frying stability, 157
genetic modification, 157
hexane-extracted oils from, 157
linolenic acid, 157
soybean oil, 157
soybeans, 157
Geometrical Isomers in Heated Pine Seed Oil,
geometrical isomers, 1129
heated oil, 1129
α-linolenic acid, 1129
γ-linolenic acid, 1129
pinolenic acid, 1129
reaction mechanism, 1129
trans fatty acids, 1129
Geotrichum candidum Lipase,
docosahexaenoic acids, 951
eicosapentaenoic acids, 951
enrichment, 951
hydrolysis, 951
polyunsaturated fatty acid enrichment with, 951
tuna oil, 951
Glucose Esters,
acetylated glucose fatty acid esters, 319
emulsifiers, 319
enzymatic synthesis of in organic solvents, 319
glucose fatty acid esters, 319
lipases, 319
organic solvents, 319
transesterification, 319
Gossypol and Aflatoxin,
adsorption, 417
aflatoxin, 417
cottonseed, 417
economics, 417
ethanol, 417
ethanol extraction of oil, from cottonseed, 417
extraction, 417
gossypol, 417
membrane, 417
oil, 417
reverse osmosis, 417
Guava Seed Oil,
batch extractor, 457
characteristics and composition of, 457
essential fatty acid, 457
gauva seed, 457
linoleic acid, 457
single-pair roller reduction mill, 457

H

Heated Trilinolein,
capillary gas chromatography/infrared-mass spectroscopy, 1169
determination of volatile components, 1169
infrared-mass spectroscopy, 1169
static headspace, 1169
trilinolein, 1169
volatile oxidation products, 1169
Herb Extracts,
antioxidant activities of Oriental, 633
antioxidant activity, 633
herbs, 633
lard, 633
natural antioxidants, 633
oxidation, 633
storage, 633
Herrania and *Theobroma* Seeds,
cluster analysis, 845
fatty acids, 845
lipid composition of, 845
sterculiaceae, 845
sterols, 845
tocopherols, 845
tocotrienols, 845
High Erucic Acid *Brassica*,
acyltransferase, 163
Brassica napus, 163
erucic acid, 163
lysophosphatidic acid, 163
sn-position, 163
stereospecific analysis, 163
stereospecific analysis of, 163
triacylglycerols, 163
High Oleic Sunflower Oil,
flavor stability, 255
headspace volatiles, 255
high oleic sunflower oil, 255
hydrogenation, 255
improving oxidative stability of vegetable oils by blending with, 255
oxidative stability, 255
peroxide values, 255
polyunsaturated oils, 255
red table oil blends, 255
Hydrogenation,

catalytic transfer hydrogenation, 507
kinetics, 507
kinetics of catalyst transfer of soybean oil, 507
soybean oil, 507
Hydrogenated Edible Oil, Automated Refractive Index Determination,
automated hydrogenation measurement, 1339
edible oils, 1339
refractive index measurement, 1339
on-line refractometer, 1339
Hydrogenation of Edible Oils,
continuous hydrogenation, 235
hydrogenation, 235
industrial reactors, 235
laboratory reactors, 235
reactors for, 235
vegetable oils, 235
Hydroxy Acids,
alumina fractionation, 441
derivatization, 441
2,4-dinitrophenylhydrazones, 441
formation of oxo- and in heated fats and oils, 441
pyruvic acid 2,6-dinitrophenylhydrazone esters, 441

I

Instrumental Methods for Oil, Protein and Other Constituents, 1047
Interesterified Palm Olein and Soybean Oil, Oxidative Stability of Blends,
interesterification, 1111
oxidative stability, 1111
palm olein, 1111
soybean oil, 1111
triacylglycerols, 1111

J

Jojoba Amines,
amino jojoba oil, 993
azido jojoba oil, 993
jojoba oil, 993
hydroxy amino jojoba oil, 993
production of *via* azides, 993
Jojoba Oil,
ene addition, 231
hydromethylation, 231
hydromethylation of by Lewis acid and formaldehyde, 231
methyl oleate, 231
oleyl acetate, 321
Jojoba Wax Esters and Minor Components,
Buxaceae, 999
esters, 999
fatty alcohols, 999
fatty acids, 999
jojoba wax, 999
Simmondsin chinensis, 999
sterols, 999
triacylglycerols, 999

K

Kokum and Phulwara Butter,
cocoa butter extender from, 217
confectionery fat, 217
Kokum fat, 217
Phulwara butter fractionation, 217
Kreis Test, Kinetics by Response Surface Methodology,
kinetics, 1267
Kreis test, 1267
rancidity, 1267

L

Lecithins,
emulsion stability, 887
enzymatic hydrolysis of effects on functional properties, 887
hydrolysis, 887
lecithin, 887
lipid–starch interactions, 887
phospholipase, 887
Linoleic Acid,
bioconversion, 975
conversion of to hydroxy acids, 975
hydroxy decenoic acid, 975
hydroxy fatty acids, 975
Lipase(s),
activated polyethylene glycol, 335
active lipase in hydrophobic media by coupling with polyethylene glycol, 335
bacterium lipases, 331
Candida antartica, 575
direct esterification, 575
docosahexaenoic acid, 1397
docosahexaenoyl ethyl ester, 1397
eicosapentaenoic acid, 1397
enzymatic hydrolysis, 483
enzymatic hydrolysis of phosphatidylcholine in organic solvents, 483
enzymatic synthesis, 575
enzymatic synthesis of geranyl acetate with *Candida antartica*, 575
esterification, 335
fatty acid selectivity, 1421
Geotrichum candidum immobilized in silica gel, 1421
hexane, 575
hydrolysis, 331
immobilized lipase, 331, 1397, 1421
organic solvents, 335, 483, 575
phosphatidylcholine, 483
phospholipid, 483
polyethylene glycol, 335
polyunsaturated fatty acids, 1397
synthesis, 331
synthesis of docosahexaenoic acid triglycerides with (immobilized), 331
synthesis of triacylglycerols with immobilized, 1397
triacylglycerols, 1397
tuna oil, 331
Lipase-Catalzyed Incorporation of Fatty Acids,
by supercritical carbon dioxide, 961
extraction, 961
interesterification, 961
lipase, 961
medium-chain triglycerides, 961
polyunsaturated fatty acids, 961
oleic acid, 961
supercritical carbon dioxide, 961
Lubricants from Partially Hydrogenated Soybean Oil Fatty Acids,
borated esters, 1227
fatty acid methyl esters, 1227
glycol esters, 1227
partially hydrogenated soybean oil, 1227
soybean oil, 1227
viscosity, 1227

M

Marine Oils,
effect of interesterification on oxidative stability, 469
fish oil, 469

interesterification, 469
lipase, 469
oxidation, 469
triacylglycerol, 469
whale oil, 469
Meadowfoam Oils,
epoxidation, 175
epoxidation of, 175
epoxidized lesquerella oil, 175
epoxidized meadowfoam oil, 175
gas chromatography, 175
gas chromatography/mass spectrometry, 175
Lesquerella, 175
Limnanthes, 175
meadowfoam, 175
trimethylsilyl derivatives, 175
Metals in Vegetable Oils,
atomic absorption spectroscopy, 347
determination of by atomic absorption spectrophotometry, 347
graphite furnace, 347
trace metals, 347
vegetable oils, 347
Metathesis of Unsaturated Esters, Economic and Technological Aspects,
1,18-dimethyloctadecanedioate, 553
feasibility, 553
methyl oleate, 553
molybdenum, 553
process, 553
rhenium, 553
Microalgal Biomass,
docosahexaenoic acid, 955
eicosapentaenoic acid, 955
extraction, 955
extraction of lipids and fatty acids from, 955
lipids, 955
microalgae, 955
polyunsaturated acids, 955
Microbial Lipase,
butterfat, 969
cosurfactant free microemulsion system, 969
interesterification, 969
interesterification of butterfat by, 969
lipase, 969
Milk Triacylglycerols,
fatty acid distribution in human, 985
human milk, 985
regioisomers, 985
tandem mass spectrometry, 985
triacylglycerols, 985
Mono- and Diglycerides,
fatty acid, 583
glycerol, 583
hydrolysis, 583
lipase, 583
microemulsion, 583
monoglyceride, 583
reversed micelle, 583
synthesis in microemulsions, 583
Monoacylglycerols,
high-performance liquid chromatography or high-pressure liquid chromatography, 459
monoacylglycerols, 459
nitrile-bonded phase, 459
separation of by high-performance liquid chromatography on nitrile-bonded phase, 459
soybean oil, 459
stereospecific analysis, 459
triacyl-*sn*-glycerols, 459
Mustard Oil Miscella, Physical Characteristics,
miscella, 1177
mustard oil, 1177
physical characteristics, 1177

N

Nasturtium, *Tropaeolum majus* L.,
commercial varieties of, 917
Near-Infrared Analyzers for Canola Seed Quality,
canola, 1063
chlorophyll, 1063
fatty acids, 1063
near-infrared, 1063
near-infrared analysis, 1063
oil content, 1063
protein, 1063
rapeseed, 1063
Near-Infrared Analysis of Soybean Quality Indices,
analysis, 1049
defatted soybeans, 1049
deterioration index, 1049
digestibility, 1049
near-infrared, 1049
nitrogen solubility index, 1049
oil-milling process, 1049
process control, 1049
soybeans, 1049
Near-Infrared Spectroscopic Data of Vegetable Oils and Classification,
classification, 293
fatty acid composition, 293
near-infrared analysis, 293
near-infrared spectroscopy, 293
principal component analysis, 293
vegetable oil, 293
Niger Seed Lipid Composition in Ethiopia Regions,
fatty acids, 839
Niger seed oil, 839
sterols, 839
tocopherols, 839
Nitrogen Protein, Comparison of Smalley Total Kjeldahl and Combustion,
copper sulfate, 1294
Kjeldahl, 1294
Kjeldahl and combustion, 1294
nitrogen, 1294
nitrogen combustion, 1294
oilseed meals, 1294
protein nitrogen, 1294
seed meals, 1294
total Kjeldahl nitrogen, 1294
^{13}C Nuclear Magnetic Resonance Monitoring of Free Fatty Acids in Fish Processing,
cooked and canned tuna, 479
free fatty acids, 479
^{13}C nuclear magnetic resonance, 479
Thunnus alalunga lipids, 479

O

Oat Enzymes,
fat hydrolysis, 881
hydrolysis of fats and oils with, 881
lipase, 881
oats, 881
Oil and Water Contents of Oilseeds by Pulsed Nuclear Magnetic Resonance,
instrumentation, 1057
moisture content, 1057
nuclear magnetic resonance, 1057
oil content, 1057
oilseeds, 1057
pulsed nuclear magnetic resonance, 1057
Oil Stability Based on Metrohm Rancimat and Storage,
induction time, 649
oxidation, 649

peroxide values, 649
shelf life, 649
Oilseed Protein Solubility,
Cucurbitaceae, 1429
cucurbitin, 1429
effect of hydrogen peroxide exposure, 1429
peroxide values, 649
globulin, 1429
hydrogen peroxide, 1429
oilseed, 1429
protein, 1429
protein solubility, 1429
Oleic Acid,
Bacillus megaterium, 491
bioconversion, 491
catalyst preparation methods, 501
conversion of to fatty amides by bacteria, 491
enzymatic esterification, 1405
ester synthesis, 927
esterification, 927
esterification with glycerol by lipase in monolayer and microemulsions, 1405
fatty amides, 491
glycerol, 1405
hydrogenation of by ruthenium–tin catalysts, 501
immobilized lipase, 927
kinetics, 927
lipase, 1405
lipase-catalyzed esterification of and methanol in hexane, 927
microemulsions, 1405
monoglycerides, 1405
monolayer, 1405
octadecenamide, 491
9-octadecenoic, 501
Ping-Pong Bi-Bi mechanism, 927
ruthenium–tin catalysts, 501
selective hydrogenation, 501
self-diffusion coefficient, 1405
spin-echo nuclear magnetic resonance, 1405
triglyceride, 1405
Oleic Acid Adsorption,
adsorption, 201
diffuse reflectance Fourier transform infrared on silicic acid, 201
Fourier transform infrared reflectance spectroscopy, 201
isopropanol, 201
oleic acid, 201
silicic acid, 201
triglyceride, 201
Oleic and *cis*-Vaccenic Acids, 1045
Olive Oil(s),
benzyl alcohol esters, 365
chromatic coordinates, 1333
classification of by high-resolution ^{13}C nuclear magnetic resonance, 361
cloudy oil stability, 657
color, 1333
color determination, 1333
edible oil, 1333
extra virgin olive oil, 657
gas chromatography/mass spectrometry, 365
high-resolution ^{13}C nuclear magnetic resonance, 361
long chain aliphatic esters, 365
natural antioxidants, 657
oil quality, 361
olive oil wax esters, 365
olive pomace oil, 361
pattern recognition, 361
quality of veiled extra virgin, 657
stepwise discriminant analysis, 361
structure of long chain esters from Spanish, 365
unsaponifiable matter, 361
Olive Oil Composition, Effect of Saline Irrigation,
fatty acids, 1287
irrigation, 1287
olive oil, 1287
stereospecific analysis, 1287
tocopherols, 1287
triacylglycerols, 1287
Olive Oil Extraction Systems, Effects on Virgin Oil Quality,
extraction systems, 1189
polyphenols, 1189
o-diphenols, 1189
oil quality, 1189
olive oil, 1189
Onagraceae Seed Oils,
composition of, 915
fatty acids, 915
gas chromatography, 915
Ludwigia longifolia, 915
onagraceae, 915
Organophosphorus Compounds,
aminoethanol, 659
ethylenediamine, 659
methyl 10-hydroxyundecanoate, 659
phosphorus oxychloride, 659
preparation of fatty, 659
Oxidation of Edible Oils,
alcohols and aldehydes, 243
cis/trans double bonds, 243
fats and oils, 243
Fourier transform infrared spectroscopy, 243
free fatty acids, 243
hydroperoxides, 243
monitoring by Fourier transform infrared spectroscopy, 243
oxidation, 243
quality control, 243
Oxidative Stability Index Method,
antioxidant effect, 211
fat substitute stability, 211
oil stability, 211
oxidative stability index, 211
oxidative stability of fat substitutes and vegetable oils by, 211
tocopherol contents, 211
vegetable oils, 211

P

Palm Acid Oil,
acids, aldehydes, ketones, 525
characterization of, 525
free fatty acids, 525
headspace volatiles, 525
palm oil, 525
saponification value, 525
unsaponifiable matter, 525
Palm Oil(s),
acids, 303
alkyl esters, 423
carotenes, 303, 423
cations, 303
molecular distillation, 423
reactions of carotenes in with acids, 303
recovery of carotenoids from, 423
stability, 423
sterols, 423
transesterification, 423
vitamin E, 423
Palm Oil Refining with Silica,
bleaching earth, 1013
color stability, 1013
palm oil, 1013
phosphorus removal, 1013
silica refining, 1013
Palm Olein, Causes of Clouding,
carbon number of triglycerides, 1141
clouding, 1141
palm olein, 1141

triglycerides (POO, POP, POS), 1141
Peach Palm Landraces,
Bactris gasipaes, 127
chemometric classification, 127
classification, 127
cluster analysis, 127
pattern recognition, 127
peach palm, 127
principal components peach palm, 127
vegetable oils, 127
Peanut Oil Antioxidant Constituents,
antioxidant, 1245
glycolipids, 1245
gums, 1245
methyl linoleate, 1245
peanut oils, 1245
polar lipids, 1245
relative humidity, 1245
water, 1245
Peanuts,
Arachis hypogaea, 541
fatty acid composition, 541
fatty acid variation in runners in geographic localities in Argentina, 541
geographic locality variation, 541
Perilla Seed Lipids,
composition of, 619
Perilla frutescens, 619
perilla oil, 619
perilla seed, 619
Peroxide Estimation of Soybean Oil by Thermoluminescence,
lipid peroxidation, 343
peroxide value, 343
soybean oil, 343
thermoluminescence, 343
Peroxide Value Determination by Fourier Transform Infrared Spectroscopy,
Fourier transform infrared spectroscopy, 921
hydroperoxides, 921
lipid oxidation, 921
Phenolic Acids,
effect of lipids on antioxidant activity of, 427
inhibited autoxidation, 427
lipid unsaturation, 427
phenolic acids, 427
Phospholipids in Soybean Oil, Effects of Expander Process,
degumming, 1145
expander, 1145
lecithin, 1145
phospholipid, 1145
Phospholipids, Transesterification in Different Reaction Conditions,
lipases, 1415
phospholipids, 1415
phospholipases, 1415
transesterification, 1415
Pinus pinaster,
fatty acids, 1039
resin acids, 1039
resin and fatty acids of Spanish, 1039
n-3 Polyunsaturated Acid Incorporation in Triacylglycerols by Lipase,
Candida antartica, 1277
lipases, 1277
Mucor miehei, 1277
organic solvents, 1277
n-3 polyunsaturated fatty acids, 1277
transesterification, 1277
vegetable oils, 1277
Potato Chip Stability,
canola, 1117
effects of frying oil composition, 1117
flavor, 1117
free fatty acids, 1117
frying oil, 1117
lower erucic acid rapeseed, 1117
polar compounds, 1117
sensory, 1117
stability, 1117
volatile compounds, 1117
Printing Inks,
polymerization, 1223
printing inks, 1223
rate constants, 1223
vegetable oils, 1223
vehicles, 1223
Propolis,
acacetin, 529
apigenin, 529
bacteriostatic and antioxidant properties, 529
benzoil acid derivatives, 529
color, 529
composition, active components and bacteriostatic activity of, 529
flavonoids, 529
polyphenolic components, 529
quercetin, 529
rutin, 529
steroids, 529
Protein Functional Properties, Effects of Ethanol and Alkali on Corn,
corn, 1201
corn protein, 1201
functional properties, 1201
maize, 1201
protein concentrates, 1201

R

Rapeseed Isolates by Membrane Processing,
alkaline extraction, 935
Chinese rapeseed, 935
diafiltration, 935
isoelectric precipitation, 935
phytic acid, 935
protein isolates, 935
ultrafiltration, 935
Rapeseed Oil,
alcoholysis, 1411
biocatalysis, 1411
enzyme, 1411
2-ethyl-1-hexanol, 1411
diesel oil substitute, 1349
gas–liquid chromatographic packed columns, 1349
lipase, 1411
lipase-catalyzed transesterification with 2-ethyl-1-hexanol, 1411
quality control, 1349
quality control of rapeseed methyl esters by acyl conversion, 1349
rapeseed methyl esters, 1349
transesterification, 1411
Rice Bran Oil,
anisidine value, 227
continuous esterification, 445
conversion of free fatty acids in by immobilized lipase, 445
dehydration, 445
free fatty acids, 445
immobilized lipase, 445
integration, 445
lipase, 445
oryzanols, 227
oxidative stability, 227
oxidative stability of, 227
peroxide value, 227
refining, 227
rice bran, 227
tocopherols, 227
Rice Bran Oil Extraction at Ambient Temperature,
free fatty acids, 1295
phospholipids, 1295
rice oil quality, 1295

Rice Bran Vitamin E and γ-Oryzanols, Separation by Normal-Phase Chromatography,
oryzanol, 1211
rice bran, 1211
vitamin E, 1211
Rice Hull Ash,
adsorption, 1363
adsorption isotherms of fatty acids in model systems, 1363
crude palm oil, 1363
energy of adsorption, 1363
Langmuir isotherm, 1363
Ricinoleic Acid Polymers,
anti-rust activity, additives, 1003
cutting fluid additives, 1003
cutting fluid additives from, 1003
ricinoleic acid dimers, 1003
ricinoleic acid polymers, 1003
water-based cutting fluids, 1003

S

Sesamum Species,
diacylglycerols, 135
2-episesaltin, 141
fatty acids, 135
free fatty acids, 135
gas chromatography, 141
gas chromatography/mass spectrometry, 141
high-performance liquid chromatography, 141
lignan analysis of seed oils, 141
lignans, 141
polar lipids, 135
seed oils, 141
sesame, 141
sesame seeds, 135
sesamin, 141
sesamolin, 141
Sesamum, 141
sesangolin, 141
steryl esters, 135
thin-layer chromatography, 141
triacylglycerols, 135
variation in fatty acid composition acyl lipids, 135
Sesamum Species Seed Oils,
lignans, 149
Sesame, 149
Sesamum species, 149
sterols, 149
tocopherols, 149
unsaponifiables, 149
variation in composition of, 149
Shea Tree Fat,
aqueous extraction of by enzymes, 979
fat extraction, 979
fatty acid composition, 979
microbial enzymes, 979
shea fat, 979
shea kernels, 979
shea tree, 979
Soy Flour and Concentrates,
flavor, 823
odor, 823
protein concentrates, 823
sensory, 823
sensory quality of, 823
soy flakes, 823
soy flour, 823
Soy Isolate–Polysaccharide Interaction, Effect of Film Properties,
alkylation, 1281
elongation, 1281
films, 1281
glycosylation, 1281
protein, 1281
protein functionality, 1281
soy isolate, 1281
tensile strength, 1281
Soybean Antigenicity, Detection by Twin-Screw Extrusion,
antigenicity, 1391
antigens, 1391
antiserum, 1391
β-conglycinin, 1391
enzyme-linked immunosorbent assay (ELISA), 1391
glycinin, 1391
immunoblot, 1391
soybean meal, 1391
twin-screw extrusion cooking, 1391
Soybean Composition Patterns, Effect on Processing,
composition, 1425
meal and oil yields, 1425
processing, 1425
soybeans, 1425
Soybean Oil,
bleached rosemary oleoresin, 533
effects of rosemary oleoresin and rosmariquinone on light-sensitized oxidation of, 533
light-induced oxidation, 533
nonstripped soybean oil, 533
rosmariquinone, 533
stripped soybean oil, 533
tertiary butylhydroquinone, 533
Soybean Oil Quality,
effects of sugar, salt, water on during frying, 897
flour dough, 897
frying, 897
oil deterioration, 897
salt, 897
sugar, 897
water, 897
Soybean Phosphatides, Degradation of Noncholine Phosphatides by Thermalization, 1195
diglycerides, 1195
gums, 1195
lecithin, 1195
phosphatidylcholine, 1195
thermalization, 1195
Soybean Segregation in Country Elevators,
composition, 1073
grading, 1073
marketing, 1073
oil, 1073
protein, 1073
quality, 1073
soybeans, 1073
Spearmint Oil Components Distribution by Supercritical Carbon Dioxide,
equilibrium distributions, 833
solubility, 833
spearmint oil, 833
sub/supercritical carbon dioxide, 833
Sphingomyelin in Milk Characterization,
emulsion, 1021
lamellar phase, 1021
lecithin, 1021
liposomes, 1021
sphingomyelin, 1021
Striped Bass,
catfish feed, 661
dietary effects on ω3 fatty acid contests in, 661
fatty acid, 661
hybrid striped bass, 661
trout feed, 661
Sucrose Polyester Cooking Oil Blends, Analysis by High-Performance Liquid Chromatography,
cooking oil, 1273
evaporative light scattering detection, 1273
gel permeation chromatography, 1273

high-performance liquid chromatography, 1273
reverse polyesters, 1273
sucrose polyesters, 1273
Sucrose Polyester-Triglycerides,
characterization of mixtures, 1017
high-performance size-exclusion chromatography, 1017
sucrose octaesters, 1017
sucrose polyesters, 1017
thin-layer chromatography/flame-ionization detection, 1017
triacylglycerols, 1017
Sucrose Polyesters,
high-performance liquid chromatography, 385
high-performance size-exclusion chromatography, 385
infrared spectroscopy, 385
isolating and characterization of, 385
^{13}C nuclear magnetic resonance, 385
sucrose polyesters, 385
thin-layer chromatography/flame-ionization detection, 385
Sunflower Oil Oxidative Stability of Supercritical Carbon Dioxide-Extracted Oil,
oxidative stability, 1251
sunflower oil, 1251
supercritical carbon dioxide extraction, 1251
Sunflower Seed Oil, Crystallization Kinetics and Polymorphism,
crystallization, 1255
kinetics, 1255
polymorphism, 1255
polymorphism transformation rate, 1255
thermal behavior, 1255
Sunflowerseed Oil, Pretreatment for Physical Refining,
degumming, 1357
phosphatides, 1357
physical refining, 1357
sunflowerseed oil, 1357
Supercritical Carbon Dioxide,
carbon dioxide, 1007
cost comparisons, 1007
processes, 1007
processes for extraction of oil from soybeans, 1007
soybean oil, 1007
supercritical fluid extraction, 1007
Swertia japonica Makino,
antioxidant, 1095
antioxidant components, 1095
chemiluminescence, 1095
xanthone, 1095
xanthone derivatives, 1095

T

Thermal Analysis of Fats by Differential Scanning Calorimetry,
anhydrous milk fat, 299
cocoa butter, 299
confectionery fats, 299
differential scanning calorimetry, 299
palm fractions, 299
tilapia Feed,
corn, 1041
corn distillers grain, 1041
corn protein, 1041
corn proteins in, 1041
ethanol-extracted co-products, 1041
tilapia and diet, 1041
weight gain, 1041
Tbcopherol Analysis in Vegetable Oils by High-Performance Liquid Chromatography,
evaporative light scattering detection, 877
fluorescence, 877
gel permeation chromatography, 877
internal standard, 877
tocol, 877
tocopherols, 877
trans 18:1 Acids from Dairy Fat to Diet,
butter, 277
dairy fat, 277
fatty acid composition, 277
gas chromatography, 277
milk, 277
isopropyl esters, 277
trans octadecenoic acids, 277
Triacylglycerol Analysis in Olive Oil,
sn-1,2-diacylglycerol kinase, 1157
diacylglycerols, 1157
olive oil, 1157
stereospecific analysis, 1157
Triglyceride Adsorption of Silicic Acid, Fourier Transform Infrared Spectroscopy,
adsorption, 589
Fourier transform infrared spectroscopy, 589
isopropanol, 589
silicic acid, 589
triglycerides, 589
Triglyceride Autoxidation Products,
autoxidation, 537
evaporation light scattering detector, 537
high-performance liquid chromatography analysis of, 537
reversed-phase high-pressure liquid chromatography, 537
triacylglycerols, 537
Triglycerides,
excess heat capacity, 549
heat capacity of, 549
tricaprin, 549
tricaproin, 549
tricaprylin, 549
24:6n-3 Triglycerides,
distribution of in flathead flounder liver and flesh, 475
flathead flounder, 475
long-chain fatty acids, 475
positional distribution, 475
stereospecific analysis, 475
tetracosahexaenoic acid (24:6n-3), 475
triacyl-*sn*-glycerols, 475
Trilaurin,
crystallization, 1367
effect of lauric molecules on crystallization, 1367
habit, 1367
microscopy, 1367
modification, 1367
triglyceride, 1367
Triolein Nonvolatile Components Produced in Deep-Fat Frying,
high-performance size-exclusion chromatography, 1239
nonvolatile oxidation products, 1239
supercritical fluid chromatography, 1239
triolein, 1239

V

Vegetable Oil Alkane Mixtures,
applications of UNIFAC to, 391
hexane, 391
UNIFAC, 391
vapor–liquid equilibria, 391
vegetable oil, 391
Vegetable Oils,
coefficient of internal pressure, 901
density, 901
discriminant analysis, 195
discriminant analysis by near-infrared spectroscopy, 195
Huggins parameter, 901
isochloric temperature, 901
near-infrared, 195
physicochemical properties, 901
Sharma constant, 901
Sharma constant estimation and thermoacoustic properties of, 901

vegetable oils, 195, 901
volume expansivity, 901
Vesicular Fungi,
fatty acids, 449
fungi, 449
germination, 449
lipase activity, 449
lipid analysis, 449
neutral lipids, 449
phospholipids, 449
spores, 449
triacylglycerol consumption during spore germination of, 449
Virgin Olive Oil,
hydrocarbon fractions of from refining, 285
hydrocarbons, 285
refining, 285
virgin olive oil, 285
Viscosity and Density of Low Molecular Weight Triglycerides and Mixtures,
consistency coefficient, 1261
dynamics viscosity, 1261
flow behavior index, 1261
shear rate, 1261
tributyrin, 1261
tricaprin, 1261
tricaproin, 1261
tricaprylin, 1261
Volatile Analysis by Supercritical Fluid and Thermal Desorption Methods,
supercritical adsorption, 261
supercritical carbon dioxide, 261
thermal desorption, 261
vegetable oils, 261
volatiles, 261
Volatile Components in Heated Triolein by Headspace Capillary Gas,
capillary gas chromatography/infrared/mass spectrometry, 453
static headspace, 453
triolein, 453
volatile oxidation products, 453

W

Water Vapor Permeability of Edible Whey Emulsions,
edible films, 307
emulsion films, 307
water vapor permeability, 307
whey proteins, 307
Wood Fatty Acids and Resins,
composition of, 665
fatty acids, 665
Pinus pinaster Ait., 665
resin acids, 665
wood, 665
Wool Wax Determination by Raman Spectroscopy, 1163
Fourier transform-Raman spectroscopy, 1163
quantitation, 1163
raw wool, 1163
wool wax, 1163
Woolgrease,
cholesterol fractionation, 223
extraction of with supercritical carbon dioxide, 223
lanolin, 223
supercritical carbon dioxide, 223
supercritical fluid chromatography, 223
Pinus pinaster Ait., 665
resin acids, 665
wood, 665

Surfactants and Detergents

A

Adsorption,
of fragrance materials on cloth, 31
Alcohol ethoxylates,
ethylene oxide content in *n*-alcohol ethoxylates by proton nuclear magnetic resonance, 113
Alcohols,
unsaturated long-chain alcohols as solubility enhancers for methanol in triglyceride, 101
Alkenyl carboxysulfonates,
physical and performance properties, 695
Alkylbenzene,
review, 675
Alkylbenzenesulfonate,
effect of tripolyphosphate and zeolites on detergency in presence of magnesium ions, 767
Amine oxides,
kinetics and preparation, 793
Analysis,
ethylene oxide content in *n*-alcohol ethoxylates by proton nuclear magnetic resonance, 113
ethylene oxide oligomer distribution by thin-layer chromatography, 109
fatty acid distribution in fats, oils and soaps by high-performance liquid chromatography, 789

B

Biosurfactants,
from agroindustrial by-products, 61
Builders,
partially dicarboxylated amylopectin, 749
Butyrolactones,
as starting material for the synthesis of biodegradable ester amide quaternary softeners, 93

C

Calcium precipitation,
of anionic surfactants in presence of sodium oleate, 757
Carboxymethyl ethoxylates,
analysis by thin-layer chromatography, 101
Cholesterol,
solubilization in mixed micelles, 47

D

Degradation,
biodegradable ester amide softeners, 93
of cationic 1,3-dioxolane derivatives by hydrolysis, 81
Detergency,
effect of aging of soil, 17
effect of builders on alkylbenzenesulfonate in presence of Mg^{++}, 767
effect of secondary alcohol ethoxylates, 65
1,3-Dioxolane,
synthesis and properties of sulfonate derivatives, 727
synthesis of cationic dioxolane derivatives, 81

E

Emulsification,
of triolein by secondary alcohol ethoxylates, 65
water-in-oil emulsions with thermally altered lecithin, 731
Enzymatic synthesis,
of fatty acid disaccharide esters, 771
of fatty acid monosaccharide esters, 87
of propylene glycol fatty acid monoesters, 715
of wax esters and monoglycerides, 721
Enzymes,
influence of surfactants on lipase activity, 75

F

Foam,
enhancement by short-chain alcohol ethoxylates in light-duty liquids, 783
mechanism of destabilization by organic ions, 41
Fragrance,
substantivity of fragrance chemicals on cloth, 31

G

Gemini surfactants,
dynamic surface tension, alone and mixed with nonionics, 771
Glyceryl *bis*ether sulfates,
performance properties, 743
synthesis, 739

H

Hydroxyethylpiperazines,
as starting material for the synthesis of biodegradable ester amide quaternary softeners, 93

L

Lecithin,
thermalization to improve water-in-oil emulsifying power, 731
Light-duty liquids,
foam enhancement by short-chain alcohol ethoxylates, 783
Lipase,
as catalyst in synthesis of fatty acid disaccharides, 771
as catalyst in synthesis of fatty acid monosaccharides, 87
as catalyst in synthesis of lysophospholipids, 93
as catalyst in synthesis of propylene glycol fatty acid monoesters, 715
as catalyst in synthesis of uncommon wax esters and monoglycerides, 721
extracellular from *Pythium ultimum*, 75
Lysolecithin,
synthesis in a continuous bioreactor, 93
Lysophospholipids,
synthesis in a continuous bioreactor, 93

M

Micelles,
mixed, of sodium cholate and deoxycholate with octaoxyethylene glycol mono *n*-decyl ether, 47
rod-shaped cetyltrimethylammonium bromide micelles, transition to larger aggregates in presence of aliphatic amines, 763
Monoglycerides,
of uncommon fatty acids, 721

P

Polymers,
interaction with surfactants, 1
partially dicarboxylated amylopectin, 749
polyoxyethylene–polyoxybutylene block co-polymers, properties, 777
Propylene glycol fatty acid monoesters,
by enzymatic synthesis, 715

S

Softeners,
from butyrolactones and hydroxyethylpiperazines, 97
Soil,
effect of aging on fabric yellowing and soil removal, 17
Sugar esters,
by enzymatic synthesis, 87
Sugar ethers,
from glucono-1,5-lactone, 705
Surface tension,
dynamic, of gemini surfactants, 771
Surface viscosity,
effect on foam stability, 41
Surfactants,
alcohol ethoxylates, analysis, 113
alcohol ethoxylates, short-chain, enhancement of foam in light-duty liquids, 783
alkenyl carboxysulfonates, 695
alkylbenzenesulfonate, effect of builders on detergency in presence of Mg^{++}, 767
alkylbenzenesulfonate, interaction with calcium, 757
amine oxides, kinetics and preparation, 793
block co-polymers of polyoxyethylene, polyoxypropylene and polyoxybutylene, 777
carboxymethyl ether salts, analysis, 101
cationic 1,3-dioxolane derivatives, 81
cetyltrimethylammonium bromide, micellar structures, 763
dialkyldiphenyl oxide monosulfonate, dynamic surface tension, 771
disulfonate 1,3-dioxolane derivatives, 771
disulfonate gemini structures, 771
fatty acid disaccharide esters, 771
fatty acid monosaccharides by enzymatic synthesis, 87
glyceryl *bis*ether sulfates, 739, 743
hydroxyethyl ester amide quaternaries, 97
interaction with polymers, 1
α-olefinsulfonate, interaction with calcium ions, 757
oleochemical and petrochemical sources—comparison, 53
propylene glycol fatty acid monoester by enzymatic synthesis, 715
secondary alcohol sulfates in oil emulsification, 65

T

Triglycerides,
solutions with methanol and long-chain unsaturated alcohols, 101

W

Wax esters,
of uncommon fatty acids by enzymatic synthesis, 721

Author

A

Abburra, R.E. See Zygadlo, J.A.
Abe, H. See Sato, T.
Abraham, G. See Hron, Sr., R.J.
Adam, F. See Idiris Saleh, M.
Adams, A.J. See Cole, C.F.
Adhikari, C., A Proctor, and G.D. Blyholder. Diffuse reflectance Fourier transform infrared spectroscopy of oleic acid adsorption on silicic acid, 201
A. Proctor, and G.D. Blyholder. Diffuse-reflectance Fourier-transform infrared spectroscopy of vegetable oil triglyceride adsorption on silicic acid, 589
Adlof, R.O. See Neff, W.E.
Aitken, W.M. See Carpenter, D.R.
Akman, U. See Platin, S.
Akoh, C.C. Enzymatic synthesis of acetylated glucose fatty acid esters in organic solvent, 319
Oxidative stability of fat substitutes and vegetable oils by the oxidative stability index method, 211
See Chase, Jr., G.W.
See Claon, P.A.
See Huang, K.-H.
Albi, T. See Lanzón, A.
See Martín-Polvillo, M.
Alemaw, G. See Dutta, P.C.
Alvarez, J.A. See Escolar, D.
Amarowicz, R., and F. Shahidi. Chromatographic separation of glucopyranosyl sinapate from canola meal, 551
Ames, J.M. See Papadopoulou, K.
Ando, Y. See Ota, T.
See Takagi, T.
Aoki, K. See Matsumura, S.
Appelqvist, L.Å. See Dutta, P.C.
See Kamal-Eldin, A.
Arai, K. See Shishikura, A.
Armon, R. See Shimoni, E.
Arrabal, C., and M. Cortijo. Acid fraction evolution in wood extractives of *Pinus pinaster* Ait., 665
and M. Cortijo. Fatty and resin acids of Spanish *Pinus pinaster* Ait. subspecies, 1039
Artz, W.E. See Hansen, S.L.
See Mahungu, S.M.
Asano, H., H. Sasamoto, and M. Ueno. Solubilization of cholesterol in two binary mixed micelles of bile salt and nonionic surfactant, 47
Ashida, S., S.F. Noguchi, and T. Suzuki. Antioxidative components, xanthone derivatives, in *Swertia japonica* Makino, 1095
Aubourg, S. See Medina, I.
Augusto, M.S. See Gioielli, L.A.
Aura, A-M., P. Forssell, A. Mustranta, T. Suortti, and K. Poutanen. Enzymatic hydrolysis of oat and soya lecithin: Effects on functional properties, 887
Avidon, V., and A. Shani. Functionalization at the double bond region of jojoba oil. 6. Production of amines *via* azides, 993
Awatif, I.I. See El-Agaimy, M.A.
Ayuso, J. See Escolar, D.
Azeemoddin, G. See Prasad, N.B.L.
Azuma, N. See Kosugi, Y.

B

Bagby, M.O. See Carlson, K.D.
See Dunn, R.O.
See Erhan, S.Z.
See Kaneshiro, T.
Balchen, S. See Staby, A.
Balinov, B., O. Söderman, and T. Wärnheim. Determination of water droplet size in margarines and low-calorie spreads by nuclear magnetic resonance self-diffusion, 513
Banni, S., B.W. Day, R.W. Evans, F.P. Corongiu, and B. Lombardi. Liquid chromatographic–mass spectrometric analysis of conjugated diene fatty acids in a partially hydrogenated fat, 1321
Barrault, J., S. Brunet, N. Suppo-Essayem, A. Piccirilli, and C. Guimon. Selectivity control in substituted fatty amines synthesis from esters or nitriles in the presence of bifunctional catalysts, 1231
Barreteau, P. See Lanzani, A.
Baruffaldi, R. See Gioielli, L.A.
Basiron, Y. See Ooi, C.K.
Basu, H.N., E.M. Robley, and M.E. Norris. Preparation of glycol derivatives of partially hydrogenated soybean oil fatty acids and their potential as lubricants, 1227
Ben Taarit, Y. See de Almeida, J.L.G.
Bentes, M.H.S. See Rojas, J.M.
Bergenståhl, B. See Malmsten, M.
Berna, J.L. See Cohen, L.
Berner, D.L., and J. Brown. Protein nitrogen combustion method collaborative study I. Comparison with Smalley total Kjeldahl nitrogen and combustion results, 1291
Bertrand, D. See Safar, M.
Betageri, S. See Weete, J.D.
Bewig, K.M., A.D. Clarke, C. Roberts, and N. Unklesbay. Discriminant analysis of vegetable oils by near-infrared reflectance spectroscopy, 195
Bhirud, R.G. See Das, S.
Bhole, N.G. See Nag, D.
Bianchi, G., A. Tava, G. Vlahov, and N. Pozzi. Chemical structure of long-chain esters from sansa olive oil, 365
Bieniecki, A. See Wilk, K.A.
Biliaderis, C.G. See Liu, H.
Bilyk, A. See Feairheller, S.H.
Bistline, Jr., R.G. See Feairheller, S.H.
Bliek, A. See Sibeijn, M.
Blute, I., M. Jansson, S.G. Oh, and D.O. Shah. The molecular mechanism for destabilization of foams by organic ions, 41
Blyholder, G.D. See Adhikari, C.
Boatella, J. See Guardiola, F.
Bocca, A. See Coni, E.
Bocci, F. See Lercker, G.
Boki, K., H. Mori, and N. Kawasaki. Bleaching rapeseed and soybean oils with synthetic adsorbents and attapulgites, 595
Bondioli, P. See Lanzani, A.
Bonvehí, J.S., F.V. Coll, and R.E. Jordà. The composition, active components and bacteriostatic activity of propolis, 529
Borch-Jensen, C. See Staby, A.
Bornaz, S., J. Fanni, and M. Parmentier. Limit of the solid fat content modification of butter, 1373
Bottini, S. See Fornari, T.
Brignole, E.A. See Fornari, T.
Brown, J. See Berner, D.L.
Brown, P. See Wu, Y.V.
Brunet, S. See Barrault, J.
Burczyk, B. See Wilk, K.A.
Busson-Breysse, J., M. Farines, and J. Soulier. Jojoba wax: Its esters and some of its minor components, 999

C

Cabello, M.N. See Gaspar, M.L.
Caldwell, J.D. See Zhu, Z.Y.
Callian, B. See Lagerman, R.
Calvo, L., M.J. Cocero, and J.M. Diez. Oxidative stability of sunflower oil extracted with supercritical carbon dioxide, 1251
Carlson, K.D., and R. Kleiman. Survey of commercial varieties of nasturtium, *Tropaeolum majus* L., 917
R. Kleiman, and M.O. Bagby. Epoxidation of *Lesquerella* and *Limnanthes* (meadowfoam) oils, 175

Carpenter, D.R., J.F. Hammerstone, Jr., L.J. Romanczyk, Jr., and W.M. Aitken. Lipid composition of *Herrania* and *Theobroma* seeds, 845
Castañeda, S. See Schwartz, D.P.
Castellini, M. See Damiani, P.
Cebula, D.J. See Smith, P.R.
Cenhua, D. See Watanabe, K.
Cert, A. See Lanzón, A.
Chand, N. See Narasimhan, S.
Chang, M.-K., E.J. Conkerton, D. Chapital, and P.J. Wan. Behavior of diglycerides and conjugated fatty acid triglycerides in reverse-phase chromatography, 1173
Chapital, D. See Chang, M.-K.
See Conkerton, E.J.
Chapman, D.M. Benefits and limitations of a novel chlorophyll adsorbent, 397
E.A. Pfannkoch, and R.J. Kupper. Separation and characterization of pigments from bleached and deodorized canola oil, 401
Chase, Jr., G.W., C.C. Akoh, and R.R. Eitenmiller. Analysis of tocopherols in vegetable oils by high-performance liquid chromatography: Comparison of fluorescence and evaporative light-scattering detection, 877
C.C. Akoh, and R.R. Eitenmiller. Evaporative light scattering mass detection for high-performance liquid chromatographic analysis of sucrose polyester blends in cooking oils, 1273
Che Man, Y.B. See Swe, P.Z.
Cheah, K.Y. See Tang, T.-S.
Chen, Y. See Gu, Y.-F.
Chen, Z.-Y., W.M.N. Ratnayake, and S.C. Cunnane. Oxidative stability of flaxseed lipids during baking, 629
Cherian, K.M. See Gandhi, V.M.
Chin, S.F. See Yurawecz, M.P.
Chiu, C.H. See Seo, C.W.
Choo, Y.-M., K.-E. Ooi, and I.-H. Ooi. Synthesis of civetone from palm oil products, 911
See Ooi, C.K.
Chu, Y.-H., and S. Luo. Effects of sugar, salt and water on soybean oil quality during deep-frying, 897
Church, J.S., A.S. Davie, D.W. James, W.-H. Leong, and D.J. Tucker. Determination of wool wax in raw wool by Raman spectroscopy, 1163
Clancy, S. See Lagerman, R.
Claon, P.A., and C.C. Akoh. Enzymatic synthesis of geranyl acetate in *n*-hexane with *Candida antartica* lipases, 575
Clark, P.K., and A. Proctor. Effect of equilibrium oil extraction on the chemical composition and sensory quality of soy flour and concentrates, 823
See Proctor, A.
Clarke, A.D. See Bewig, K.M.
Clear, K.M. See Daun, J.K.
Cocero, M.J. See Calvo, L.
Codony, R. See Guardiola, F.
Coffen, D.L. See Maehr, H.
Cohen, L., R. Vergara, A. Moreno, and J.L. Berna. The influence of sodium tripolyphosphate and zeolites on detergency of linear alkylbenzene sulfonate in the presence of Mg^{++}, 767
Cohen, Z. Production potential of eicosapentaenoic acid by *Monodus subterraneus*, 941
Cole, C.F., G.M. Hill, and A.J. Adams. Automated refractive index measurement of catalyst-laden edible oils undergoing partial hydrogenation, 1339
Coll, F.V. See Bonvehi, J.S.
Condon, B.D., and K.L. Matheson. A comparison of surfactants derived from alcohols based on petrochemical and oleochemical sources, 53
Foam enhancement by short-chain hydrophobe alcohol ethoxylates in light-duty liquids, 783
Glyceryl *bis*ether sulfates. I: Improved synthesis, 739
Glyceryl *bis*ether sulfates. II: Performance properties, 743
Coni, E., M. Di Pasquale, P. Coppolelli, and A. Bocca. Detection of animal fats in butter by differential scanning calorimetry: A pilot study, 807
Conkerton, E.J., D.C. Chapital, and P.J. Wan. Microwave heating of cottonseed: A pilot plant study, 461
See Chang, M.-K.
Contarini, G. See Mariani, C.
Coppolelli, P. See Coni, E.
Corongiu, F.P. See Banni, S.
Cortijo, M. See Arrabal, C.
Cunnane, S.C. See Chen, Z.-Y.
Cuperus, F.P. See Muuse, B.G.
Cuppett, S. See Hall III, C.
Cvengroš, J., and Z. Cvengrošová. Quality control of rapeseed oil methyl esters by determination of acyl conversion, 1349
Cvengrošová, Z. See Cvengroš, J.
Cygnarowicz-Provost, M., J.W. King, W.N. Marmer, and P. Magidman. Extraction of woolgrease with supercritical carbon dioxide, 223

D

Dabrowski, R. See Kula, J.
Damiani, P., F. Santinelli, M.S. Simonetti, M. Castellini, and M. Rosi. Comparison between two procedures for stereospecific analysis of triacylglycerols from vegetable oils—I: Olive oil, 1157
Daniels, D.H. See Yurawecz, M.P.
Das, S., N. Nayyar, R.G. Bhirud, K.S. Narayan, and V.V. Kumar. Precipitation of anionic surfactants in the presence of sodium oleate and calcium ions, 757
Daun, J.K., K.M. Clear, and P. Williams. Comparison of three whole seed near-infrared analyzers for measuring quality components of canola seed, 1063
and D.R. DeClercq. Comparison of combustion and Kjeldahl methods for determination of nitrogen in oilseeds, 1069
X. Hu, and R. Scarth. Research on oleic and *cis*-vaccenic, 1045
Instrumental methods for determination of oil, protein and other constituents of oilseeds and meals, 1047
See Hu, X.
See Ward, K.
Davie, A.S. See Church, J.S.
Day, B.W. See Banni, S.
de Almeida, J.L.G., M. Dufaux, Y. Ben Taarit, and C. Naccache. Linear alkylbenzene, 675
de L. Bordignon, S.A. See Spitzer, V.
DeClercq, D.R. See Daun, J.K.
Derksen, J.T.P. See Muuse, B.G.
Devaux, M.F. See Safar, M.
Di Giovacchino, L., M. Solinas, and M. Miccoli. Effect of extraction systems on the quality of virgin olive oil, 1189
Di Pasquale, M. See Coni, E.
Diack, M., and M. Saska. Separation of vitamin E and γ-oryzanols from rice bran by normal-phase chromatography, 1211
Diez, J.M. See Calvo, L.
Dimic, E., Dj. Karlovic, and J. Turkulov. Pretreatment efficiency for physical refining of sunflowerseed oil, 1357
Dimick, P.S. See Md. Ali, A.R.
Diosady, L.L. See Varga, T.K.
See Xu, L.
Dobarganes, M.C. See Márquez-Ruiz, G.
See Ríos, J.J.
Dubey, S.T. See Schmidt, W.W.
Dubois, J. See van de Voort, F.R.
Dudley, R.L. See Fearheller, S.H.
Dufaux, M. See de Almeida, J.L.G.
Dungan, S.R. See McClements, D.J.
Dunn, R.O., and M.O. Bagby. Solubilization of methanol and triglycerides: Unsaturated long-chain fatty alcohol/medium-chain alkanol mixed amphiphile systems, 101
Dute, R. See Mozaffar, Z.
Dutta, P.C., S. Helmersson, E. Kebedu, G. Alemaw, and L.Å. Appelqvist. Variation in lipid composition of niger seed (*Guizotia abyssinica* Cass.) samples collected from different regions in Ethiopia, 839

AUTHOR INDEX

E

Edens, M.W. See Nace, V.M.
Edvardsson, J., and S. Irandoust. Reactors for hydrogenation of edible oils, 235
Eiteman, M.A., and J.W. Goodrum. Heat capacity of the triglycerides: Tricaproin, tricaprylin and tricaprin, 549
and J.W. Goodrum. Density and viscosity of low-molecular weight triglycerides and their mixtures, 1261
Eitenmiller, R.R. See Chase, Jr., G.W.
El-Agaimy, M.A., W.E. Neff, M. El-Sayed, and I.I. Awatif. Effect of saline irrigation water on olive oil composition, 1287
See Neff, W.E.
El-Sayed, M. See El-Agaimy, M.A.
Emo, G. See van de Voort, F.R.
Endo, Y. See Kimoto, H.
Erciyes, A.T. See Erdem-Şenatalar, A.
Erdem-Şenatalar, A., E. Erencek, M. Tüter, and A.T. Erciyes. Effects of Lewis acid catalysts on the esterification kinetics of castor oil with oleic acid, 1035
Erencek, E. See Erdem-Şenatalar, A.
Erhan, S.Z., and M.O. Bagby. Polymerization of vegetable oils and their uses in printing inks, 1223
Escher, S.D., and E. Oliveros. A quantitative study of factors that influence the substantivity of fragrance chemicals on laundered and dried fabrics, 31
Escolar, D., Mª.R. Haro, A. Saucedo, J. Ayuso, A. Jiménez, and J.A. Alvarez. Color determination in olive oils, 1333
Eskin, N.A.M. See Liu, H.
See Malcolmson, L.J.
Evans, R.W. See Banni, S.

F

Fairley, P. See Simoneau, C.
Fanni, J. See Bornaz, S.
Farines, M. See Busson-Breysse, J.
Feairheller, S.H., R.G. Bistline, Jr., A. Bilyk, R.L. Dudley, M.F. Kozempel, and M.J. Haas. A novel technique for the preparation of secondary fatty amides. III. Alkanolamides, diamides and aralkylamides, 863
Fedeli, E. See Lanzani, A.
See Mariani, C.
Fitzpatrick, K.C. The Canadian Section of the American Oil Chemists' Society—9th Annual Meeting, 919
Folegatti, L. See Lanzani, A.
Fornari, T., S. Bottini, and E.A. Brignole. Application of UNIFAC to vegetable oil-alkane mixtures, 391
Forssell, P. See Aura, A-M.
Frank, P.J. See Toney, C.J.
Frankel, E.N., and S-W. Huang. Improving the oxidative stability of polyunsaturated vegetable oils by blending with high-oleic sunflower oil, 255
Frega, N. See Lercker, G.
Fregapane, G., D.B. Sarney, S.G. Greenberg, D.J. Knight, and E.N. Vulfson. Enzymatic synthesis of monosaccharide fatty acid esters and their comparison with conventional products, 87
See Sarney, D.B.
Friedli, F. See Lagerman, R.
See Toney, C.J.
Fu, X. See Hall III, C.
Fujimoto, K. See Kimoto, H.
See Miyazawa, T.
See Shishikura, A.
Fujita, T. See Watanabe, S.
Funada, T. See Tanaka, Y.

G

Gandhi, V.M., K.M. Cherian, and M.J. Mulky. Detoxification of castor seed meal by interaction with sal seed meal, 827
Gao, T., and M.J. Rosen. Dynamic surface tension of aqueous surfactant solutions. 6. Compounds containing two hydrophilic head groups and two or three hydrophobic groups and their mixtures with other surfactants, 771
Garcia Camacho, F. See Molina Grima, E.
Garcia Sánchez, J.L. See Molina Grima, E.
Gaspar, M.L., R.J. Pollero, and M.N. Cabello. Triacylglycerol consumption during spore germination of vesicular-arbuscular mycorrhizal fungi, 449
Gassenmeier, K., and P. Schieberle. Formation of the intense flavor compound *trans*-4,5-epoxy-(*E*)-2-decenal in thermally treated fats, 1315
Genot, C. See Safar, M.
George, E.D. Fatty acid distribution of fats, oils and soaps by high-performance liquid chromatography without derivatization, 789
German, J.B. See Simoneau, C.
Ghazali, H.M. See Swe, P.Z.
Giblin, E.M. See Taylor, D.C.
Gimémez Giménez, A. See Molina Grima, E.
Gioielli, L.A., R.N.M. Pitombo, M. Vitolo, R. Baruffaldi, M.N. Oliveira, and M.S. Augusto. Acidolysis of babassu fat catalyzed by immobilized lipase, 579
Glynn, M. See Warner, K.
Goddard, E.D. Polymer/surfactant interaction—its relevance to detergent systems, 1
Goh, L.S. See Liew, K.Y.
Goodrum, J.W. See Eiteman, M.A.
Gopala Krishna, A.G., and J.V. Prabhakar. Antioxidant constituents of peanut oil, 1245
and J.V. Prabhakar. Antioxidant efficacy of amino acids in methyl linoleate at different relative humidities, 645
Gordon, M.H., and E. Mursi. A comparison of oil stability based on the Metrohm Rancimat with storage at 20°C, 649
E. Mursi, and J.B. Rossell. Assessment of thin-film oxidation with ultraviolet irradiation for predicting the oxidative stability of edible oils, 1309
Gracián, J. See Lanzón, A.
Greenberg, S.G. See Fregapane, G.
Griffith, G.L. See Weete, J.D.
Grosso, N.R., A. Lamarque, D.M. Maestri, J.A. Zygadlo, and C.A. Guzmán. Fatty acid variation of runner peanut (*Arachis hypogaea* L.) among geographic localities from Córdoba (Argentina), 541
Gu, Y.-F., Y. Chen, and E.G. Hammond. Use of cyclic anhydrides to remove cholesterol and other hydroxy compounds from fats and oils, 1205
Guardiola, F., R. Codony, M. Rafecas, and J. Boatella. Selective gas chromatographic determination of cholesterol in eggs, 867
Guimon, C. See Barrault, J.
Guinda, A. See Martín-Polvillo, M.
Guzmán, C.A. See Grosso, N.R.
See Zygadlo, J.A.

H

Haas, M.J., K. Scott, W. Jun, and G. Janssen. Enzymatic phosphatidylcholine hydrolysis in organic solvents: An examination of selected commercially available lipases, 483
See Feairheller, S.H.
Hall III, C., S. Cuppett, D. Wheeler, and X. Fu. Effects of bleached and unbleached rosemary oleoresin and rosmariquinone on light-sensitized oxidation of soybean oil, 533
Hammerstone, Jr., J.F. See Carpenter, D.R.
Hammond, C.E., and D.K. Kubik. Determination of ethylene oxide content in *n*-alcohol ethoxylates by proton nuclear magnetic resonance spectroscopy, 113
Hammond, E.G. See Gu, Y.-F.
See Parmar, S.
Han, L-M.T., and G. Szajer. Analysis of epoxidized soybean oil by gas chromatography, 669
Han, S-W. See McClements, D.J.
Hansen, S.L., and W.E. Artz. Supercritical fluid fractionation of thermally oxidized canola oil, 615

M.R. Myers, and W.E. Artz. Nonvolatile components produced in triolein during deep-fat frying, 1239
See Mahungu, S.M.
Harada, H. See Ohishi, A.
Haro, Mª.R. See Escolar, D.
Hartel, R.W. See Lohman, M.H.
Helmersson, S. See Dutta, P.C.
Herrera, M.L. Crystallization behavior of hydrogenated sunflowerseed oil: Kinetics and polymorphism, 1255
Hidalgo, F.J. See Zamora, R.
Hill, G.M. See Cole, C.F.
Hirano, J. See Tanaka, Y.
Hiroto, M. See Kodera, Y.
Hodson, R. See Seo, C.W.
Hojilla-Evangelista, M.P. See Myers, D.J.
Holmberg, K. See Singh, C.P.
Hood, J.K. See Yurawecz, M.P.
Hopia, A. See Viinanen, E.
Hortacsu, Ö. See Platin, S.
Hou, C.T. Conversion of linoleic acid to 10-hydroxy-12(Z)-octadecenoic acid by *Flavobacterium* sp. (NRRL B-14859), 975
Hron, Sr., R.J., M.S. Kuk, G. Abraham, and P.J. Wan. Ethanol extraction of oil, gossypol and aflatoxin from cottonseed, 417
See Kuk, M.S.
Hu, X., J.K. Daun, and R. Scarth. Proportions of C18:1n-7 and C18:1n-9 fatty acids in canola seedcoat surface and internal lipids, 221
See Daun, J.K.
Huang, K.-H., and C.C. Akoh. Lipase-catalyzed incorporation of n-3 polyunsaturated fatty acids into vegetable oils, 1277
Huang, S-W. See Frankel, E.N.
Huhtala, A. See Linko, Y-Y.
Hurburgh, Jr., C.R. Identification and segregation of high-value soybeans at a country elevator, 1073
Long-term soybean composition patterns and their effect on processing, 1425

I

Idiris Saleh, M., and F. Adam. Adsorption isotherms of fatty acids on rice hull ash in a model system, 1363
Ikuta, K. See Ohishi, A.
Inada, Y. See Kodera, Y.
Ingvardsen, L., S. Michaelsen, and H. Sørensen. Analysis of individual phospholipids by high-performance capillary electrophoresis, 183
Inoue, H. See Watanabe, K.
Irandoust, S. See Edvardsson, J.
Isbell, T.A., R. Kleiman, and B.A. Plattner. Acid-catalyzed condensation of oleic acid into estolides and polyestolides, 169
and R. Kleiman. Characterization of estolides produced from the acid-catalyzed condensation of oleic acid, 379
Ishikawa, C. See Watanabe, K.
Ismail, A.A. See van de Voort, F.R.
Iwamoto, M. See Sato, T.

J

Jacks, T.J. Oilseed protein solubility after exposure to hydrogen peroxide, 1429
Jackson, V.M. See Proctor, A.
Jacobsen, L.S., and A. Jart. Improved ozonolysis method for analysis of total n-3 fatty acids during hydrogenation of fish oils, 653
Jafar, S. See Melton, S.L.
James, D.W. See Church, J.S.
Janssen, G. See Haas, M.J.
Jansson, M. See Blute, I.
Jart, A. See Jacobsen, L.S.
Jeffrey, B.S.J. See Smith, K.W.
Jiménez, A. See Escolar, D.
Johnson, L.A. See Myers, D.J.
Johnston, N. See Lagerman, R.
Jord, R.E. See Bonvehi, J.S.
Jun, W. See Haas, M.J.
See Sonnet, P.E.
Jung, M.Y. See Kim, S.Y.

K

Kabir-ud-Din, See Kumar, S.
Kallio, H., and P. Rua. Distribution of the major fatty acids of human milk between *sn*-2 and *sn*-1,3 positions of triacylglycerols, 985
Kamal-Eldin, A., and L.Å. Appelqvist. Variations in the composition of sterols, tocopherols and lignans in seed oils from four *Sesamum* species, 149
and L.Å. Appelqvist. Variation in fatty acid composition of the different acyl lipids in seed oils from four *Sesamum* species, 135
L.Å. Appelqvist, and G. Yousif. Lignan analysis in seed oils from four *Sesamum* species: Comparison of different chromatographic methods, 141
Kaneshiro, T., R.F. Vesonder, R.E. Peterson, D. Weisleder, and M.O. Bagby. 9(Z)-Octadecenamide and fatty amides by *Bacillus megaterium* (B-3437) conversion of oleic acid, 491
Kang, S.T. See Yamane, T.
Kapeller, H. See Sarney, D.B.
Karlovic, Dj. See Dimic, E.
Katusin-Razem, B., and D. Razem. Activity of antioxidants in solution and in irradiated heterogenous system, 519
Kawabata, Y. See Ota, T.
Kawahara, K. See Yamane, T.
Kawano, S. See Sato, T.
Kawasaki, N. See Boki, K.
Kebedu, E. See Dutta, P.C.
Kermasha, S. See Safari, M.
Kida, T., N. Morishima, A. Masuyama, and Y. Nakatsuji. New cleavable surfactants derived from glucono-1,5-lactone, 705
Kim, J.H. See Kim, S.Y.
Kim, S.K. See Kim, S.Y.
Kim, Sun Ki, See Yoon, S.H.
Kim, S-W. See Shin, H.-S.
Kim, S.Y., J.H. Kim, S.K. Kim, M.J. Oh, and M.Y. Jung. Antioxidant activities of selected Oriental herb extracts, 633
Kimoto, H., Y. Endo, and K. Fujimoto. Influence of interesterification on the oxidative stability of marine oil triacylglycerols, 469
King, J.W. See Cygnarowicz-Provost, M.
See Snyder, J.M.
Kinoshita, M. See Miyazawa, T.
Kirti, See Kumar, S.
Kleiman, R. See Carlson, K.D.
See Isbell, T.A.
Knight, D.J. See Fregapane, G.
Kobe, J. See Smidovnik, A.
Kodera, Y., H. Nishimura, A. Matsushima, M. Hiroto, and Y. Inada. Lipase made active in hydrophobic media by coupling with polyethylene glycol, 335
Koizumi, C. See Li, N.
Koizumi, Y. See Yamane, T.
Koloini, T. See Smidovnik, A.
Kondo, K. See Watanabe, K.
Konishi, H. See Neff, W.E.
Koseoglu, S.S. See Zhang, F.
Kosugi, Y., T. Kunieda, and N. Azuma. Continual conversion of free fatty acids in rice bran oil to triacylglycerol by immobilized lipase, 445
and N. Azuma. Synthesis of triacylglycerol from polyunsaturated fatty acid by immobilized lipase, 1397
Kozempel, M.F. See Feairheller, S.H.
Krochta, J.M. See McHugh, T.H.
See Simoneau, C.
Ku, Y. See Yurawecz, M.P.
Kubik, D.K. See Hammond, C.E.
Kuk, M.S., and R.J. Hron, Sr. Supercritical carbon dioxide extraction of cottonseed with co-solvents, 1353

See Hron, Sr., R.J.
Kula, J., M. Sikora, and R. Dabrowski. Further study on the one-pot synthesis of (*E*)-2-nonenal from castor oil, 545
Kumar, S., Kirti, and Kabir-ud-Din. Effect of solubilized amines on the structural transition of cetyltrimethylammonium bromide micelles in aqueous potassium bromide, 763
Kumar, V.V. See Das, S.
Kunieda, T. See Kosugi, Y.
Kuntom, A., W-L. Siew, and Y-A. Tan. Characterization of palm acid oil, 525
Kupper, R.J. See Chapman, D.M.

L

Lagerman, R., S. Clancy, D. Tanner, N. Johnston, B. Callian, and F. Friedli. Synthesis and performance of ester quaternary biodegradable softeners, 97
Lamarque, A. See Grosso, N.R.
Lämsä, M. See Linko, Y-Y.
Lang, S. See Multzsch, R.
Lanzani, A., P. Bondioli, C. Mariani, L. Folegatti, S. Venturini, E. Fedeli, and P. Barreteau. A new short-path distillation system applied to the reduction of cholesterol in butter and lard, 609
Lanzón, A., T. Albi, A. Cert, and J. Gracián. The hydrocarbon fraction of virgin olive oil and changes resulting from refining, 285
Lee, C.G. See Liew, K.Y.
Lei, X.-G. See Wang, G.-W.
Leong, W.-H. See Church, J.S.
Lercker, G., N. Frega, F. Bocci, and G. Servidio. Veiled extra-virgin olive oils: Dispersion response related to oil quality, 657
Leskovsek, S. See Smidovnik, A.
Li, N., T. Ohshima, K. Shozen, H. Ushio, and C. Koizumi. Effects on the degree of unsaturation of coexisting triacylglycerols on cholesterol oxidation, 623
Li, X. See Yang, J.
Liew, K.Y., M.R. Nordin, and L.S. Goh. Reaction of carotenes in palm oil with acid, 303
C.E. Seng, and C.G. Lee. Densities and molal volumes of *n*-alkylamines from 15 to 80°C, 1297
Lilienthal, W. See Schmidt, W.W.
Linko, P. See Linko, Y-Y.
Linko, Y-Y., M. Lämsä, A. Huhtala, and P. Linko. Lipase-catalyzed transesterification of rapeseed oil and 2-ethyl-1-hexanol, 1411
List, G.R. See Mounts, T.L.
Liu, H., C.G. Biliaderis, R. Przybylski, and N.A.M. Eskin. Effects of crystallization conditions on sedimentation in canola oil, 409
Liu, K.-S. Preparation of fatty acid methyl esters for gas-chromatographic analysis of lipids in biological materials, 1179
Liu, Y.-C. See Wang, G.-W.
Lo, S. See Shaw, J-F.
Lohman, M.H., and R.W. Hartel. Effect of milk fat fractions on fat bloom in dark chocolate, 267
Lokotsch, W. See Multzsch, R.
Lombardi, B. See Banni, S.
Low, N.H. See Tautorus, C.L.
Luo, S. See Chu, Y-H.

M

Mackenzie, S.L. See Taylor, D.C.
Maehr, H., G. Zenchoff, and D.L. Coffen. Enzymic enhancement of n-3 fatty acid content in fish oils, 463
Maestri, D.M. See Grosso, N.R.
Magidman, P. See Cygnarowicz-Provost, M.
Mahungu, S.M., S.L. Hansen, and W.E. Artz. Quantitation of volatile compounds in heated trilinolein by static headspace–capillary gas chromatography/infrared spectroscopy–mass spectrometry, 1169
S.L. Hansen, and W.E. Artz. Quantitation of volatile compounds in heated triolein by static headspace–capillary gas chromatography/infrared spectroscopy–mass spectrometry, 453
Malcolmson, L.J., M. Vaisey-Genser, R. Przybylski, and N.A.M. Eskin. Sensory stability of canola oil: Present status of shelf life studies, 435
Malmsten, M., B. Bergenståhl, L. Nyberg, and G. Odham. Sphingomyelin from milk—characterization of liquid crystalline, liposome and emulsion properties, 1021
Mani, V.V.S. See Mhaskar, S.Y.
Manresa, M.A. See Mercade, M.E.
Mariani, C., S. Venturini, E. Fedeli, and G. Contarini. Detection of refined animal and vegetable fats in adulteration of pure milkfat, 1381
See Lanzani, A.
Marinova, E.M., and N.V. Yanishlieva. Effect of lipid unsaturation on the antioxidative activity of some phenolic acids, 427
Marmer, W.N. See Cygnarowicz-Provost, M.
Márquez-Ruiz, G., M.C. Pérez-Camino, J.J. Ríos, and M.C. Dobarganes. Characterization of sucrose polyesters–triacylglycerols mixtures, 1017
See Ríos, J.J.
Martín-Polvillo, M., T. Albi, and A. Guinda. Determination of trace elements in edible vegetable oils by atomic absorption spectrophotometry, 347
Maruyama, K. See Shimada, Y.
Marx, F. See Spitzer, V.
Masuyama, A. See Kida, T.
Matheson, K.L. See Condon, B.D.
Matsumura, S., K. Aoki, and K. Toshima. Builder performance in detergent formulations and biodegradability of partially dicarboxylated amylopectin, 749
Matsushima, A. See Kodera, Y.
McClements, D.J., S.-W. Han, and S.R. Dungan. Interdroplet heterogeneous nucleation of supercooled liquid droplets by solid droplets in oil-in-water emulsions, 1385
McCurdy, A.R. See Ramamurthi, S.
See Taylor, D.C.
McHugh, T.H., and J.M. Krochta. Water vapor permeability properties of edible whey protein–lipid emulsion films, 307
McLellan, J.F., R.M. Mortier, S.T. Orszulik, and R.M. Paton. Hydroxymethylation of jojoba oil by Lewis acid-catalyzed ene reaction, 231
McNeill, G.P. See Sonnet, P.E.
McVetty, P.B.E. See Taylor, D.C.
Md. Ali, A.R., and P.S. Dimick. Melting and solidification characteristics of confectionery fats: Anhydrous milk fat, cocoa butter and palm kernel stearin blends, 803
and P.S. Dimick. Thermal analysis of palm mid-fraction, cocoa butter and milk fat blends by differential scanning calorimetry, 299
Medina, I., R. Sacchi, and S. Aubourg. ^{13}C nuclear magnetic resonance monitoring of free fatty acid release after fish thermal processing, 479
Melton, S.L., S. Jafar, D. Sykes, and M.K. Trigiano. Review of stability measurements for frying oils and fried food flavor, 1301
Mercade, M.E., and M.A. Manresa. The use of agroindustrial by-products for biosurfactant production, 61
Metzger, J.O. See Multzsch, R.
Mhaskar, S.Y., and V.V.S. Mani. Synthesis of methyl 9,12-epoxyoctadecanoate from castor oil, 543
Miccoli, M. See Di Giovacchino, L.
Michaelsen, S. See Ingvardsen, L.
Miller, C.A. See Tungsubutra, T.
Miyazawa, T., K. Fujimoto, M. Kinoshita, and R. Usuki. Rapid estimation of peroxide content of soybean oil by measuring thermoluminescence, 343
Mizukami, F. See Tang, T.-S.
Molina Grima, E., A. Robles Medina, A. Giménez Giménez, J.A. Sánchez Pérez, F. Garcia Camacho, and J.L. García Sánchez. Comparison between extraction of lipids and fatty acids from microalgal biomass, 955
Mollerup, J. See Staby, A.
Moreno, A. See Cohen, L.
Morero, R.E. See Zygadlo, J.A.
Mori, H. See Boki, K.
Morishima, N. See Kida, T.

Mortier, R.M. See McLellan, J.F.
Mossoba, M.M. See Yurawecz, M.P.
Moulijn, J.A. See Sibeijn, M.
Mounts, T.L., K. Warner, and G.R. List. Performance evaluation of hexane-extracted oils from genetically modified soybeans, 157
K. Warner, G.R. List, W.E. Neff, and R.F. Wilson. Low-linolenic acid soybean oils—alternatives to frying oils, 495
See Neff, W.E.
Mozaffar, Z., J.D. Weete, and R. Dute. Influence of surfactants on an extracellular lipase from *Phythium ultimum*, 75
Mukherjee, K.D. See Syed Rahmatullah, M.S.K.
Mulky, M.J. See Gandhi, V.M.
Multzsch, R., W. Lokotsch, B. Steffen, S. Lang, J.O. Metzger, H.J. Schäfer, S. Warwel, and F. Wagner. Enzymatic production and physicochemical characterization of uncommon wax esters and monoglycerides, 721
Mursi, E. See Gordon, M.H.
Mustafa, J. See Saeed, M.T.
Mustranta, A., T. Suortti, and K. Poutanen. Transesterification of phospholipids in different conditions, 1415
See Aura, A-M.
Muuse, B.G., F.P. Cuperus, and J.T.P. Derksen. Extraction and characterization of *Dimorphotheca pluvialis* seed oil, 313
Myers, D.J., M.P. Hojilla-Evangelista, and L.A. Johnson. Functional properties of protein extracted from flaked, defatted, whole corn by ethanol/alkali during sequential extraction processing, 1201
Myers, M.R. See Hansen, S.L.

N

Naccache, C. See de Almeida, J.L.G.
Nace, V.M., R.H. Whitmarsh, and M.W. Edens. Effects and measurements of polyoxyethylene block length in polyoxyethylene–polyoxybutylene copolymers, 777
Nag, D., and N.G. Bhole. Physical characteristics of mustard oil solvent miscella, 1177
Nakagawa, H. See Watanabe, S.
Nakamura, M. See Shimada, Y.
Nakatsuji, Y. See Kida, T.
Narasimhan, S., G.K. Sarva Mangala, A.K. Vasanth Kumar, N. Chand, and D. Rajalakshmi. Kinetics of the Kreis test through response surface methodology, 1267
Narayan, K.S. See Das, S.
Navarro, J.L. See Zamora, R.
Nayyar, N. See Das, S.
Neeman, I. See Shimoni, E.
Neff, W.E., R.O. Adlof, and M. El-Agaimy. Silver ion high-performance liquid chromatography of the triacylglycerols of *Crepis alpina* seed oil, 853
M.A. El-Agaimy, and T.L. Mounts. Oxidative stability of blends and interesterified blends of soybean oil and palm olein, 1111
T.L. Mounts, W.M. Rinsch, H. Konishi, and M.A. El-Agaimy. Oxidative stability of purified canola oil triacylglycerols with altered fatty acid compositions as affected by triacylglycerol composition and structure, 1101
See El-Agaimy, M.A.
See Mounts, T.L.
Ng, W.L., and C.H. Oh. A kinetic study on isothermal crystallization of palm oil by solid fat content measurements, 1135
Nicodemo, T. See van de Voort, F.R.
Nishimura, H. See Kodera, Y.
Niwa, S. See Tang, T.-S.
Noguchi, S.F. See Ashida, S.
Nordin, M.R. See Liew, K.Y.
Norris, M.E. See Basu, H.N.
Nyberg, L. See Malmsten, M.

O

Obendorf, S.K. See Park, E.K.C.
O'Brien, D.J., and G.E. Senske. Recovery of eicosapentaenoic acid from fungal mycelia by solvent extraction, 947
Odham, G. See Malmsten, M.
Oh, C.H. See Ng, W.L.
Oh, M.J. See Kim, S.Y.
Oh, S.G. See Blute, I.
Ohbu, K. See Tamura, T.
Ohishi, A., K. Watanabe, M. Urushibata, K. Utsuno, K. Ikuta, K. Sugimoto, and H. Harada. Detection of soybean antigenicity and reduction by twin-screw extrusion, 1391
Ohkubo, T. See Tamura, T.
Ohmori, Y. See Watanabe, S.
Ohshima, T. See Li, N.
Ohta, Y. See Tano-Debrah, K.
Okazaki, S. See Shimada, Y.
Oliveira, M.N. See Gioielli, L.A.
Oliveros, E. See Escher, S.D.
Ong, A.S.H. See Ooi, C.K.
Ooi, C.K., Y.M. Choo, S.C. Yap, Y. Basiron, and A.S.H. Ong. Recovery of carotenoids from palm oil, 423
Ooi, I-H. See Choo, Y-M.
Ooi, K-E. See Choo, Y-M.
Orr, P. See Warner, K.
Orszulik, S.T. See McLellan, J.F.
Osman, S.M. See Saeed, M.T.
Ota, T., Y. Kawabata, and Y. Ando. Positional distribution of 24:6(n-3) in triacyl-*sn*-glycerols from flathead flounder liver and flesh, 475
Özer, E.Ö. See Platin, S.

P

Papadopoulou, K., and J.M. Ames. Kinetics of all-*trans*-β-carotene degradation on heating with and without phenylalanine, 893
Pariza, M.W. See Yurawecz, M.P.
Park, E.K.C., and S.K. Obendorf. Chemical changes in unsaturated oils upon aging and subsequent effects on fabric yellowing and soil removal, 17
Parmar, S., and E.G. Hammond. Hydrolysis of fats and oils with moist oat caryopses, 881
Parmentier, M. See Bornaz, S.
Parrott, L. See Warner, K.
Pass, E.W. See Taylor, D.C.
Pastor, J. See Vioque, J.
Paton, R.M. See McLellan, J.F.
Pérez-Camino, M.C. See Márquez-Ruiz, G.
See Ríos, J.J.
Perkins, J.M. See Smith, K.W.
Peterson, R.E. See Kaneshiro, T.
Pfannkoch, E.A. See Chapman, D.M.
Pfeilsticker, K. See Spitzer, V.
Phillips, D.L. See Smith, K.W.
Piccirilli, A. See Barrault, J.
Pickard, M.D. See Taylor, D.C.
Pitombo, R.N.M. See Gioielli, L.A.
Platin, S., E.Ö. Özer, U. Akman, and Ö. Hortacsu. Equilibrium distributions of key components of spearmint oil in sub/supercritical carbon dioxide, 833
Plattner, B.A. See Isbell, T.A.
Poels, E.K. See Sibeijn, M.
Pollero, R.J. See Gaspar, M.L.
Poutanen, K. See Aura, A-M.
See Mustranta, A.
Povey, M.J.W. See Smith, P.R.
Pozzi, N. See Bianchi, G.
Prabhakar, J.V. See Gopala Krishna, A.G.
See Yella Reddy, S.
Prasad, N.B.L., and G. Azeemoddin. Characteristics and composition of guava (*Psidium guajava* L.) seed and oil, 457
Proctor, A., V.M. Jackson, M. Scott, and P.K. Clark. Rapid equilibrium extraction of rice bran oil at ambient temperature, 1295
See Adhikari, C.
See Clark, P.K.
Przybylski, R. See Liu, H.
See Malcolmson, L.J.

AUTHOR INDEX

R

Rady, A.H. See Schwartz, D.P.
Rafecas, M. See Guardiola, F.
Rajalakshmi, D. See Narasimhan, S.
Ramamurthi, S., and A.R. McCurdy. Lipase-catalyzed esterification of oleic acid and methanol in hexane—a kinetic study, 927
Raney, K.H. See Schmidt, W.W.
Ratnayake, W.M.N. See Chen, Z-Y.
Rauf, A. See Saeed, M.T.
Razem, D. See Katusin-Razem, B.
Reverchon, E., and L. Sesti Osséo. Comparison of processes for the supercritical carbon dioxide extraction of oil from soybean seeds, 1007
Rhee, K.C. See Zhang, F.
Rimmer, S.R. See Taylor, D.C.
Rinsch, W.M. See Neff, W.E.
Ríos, J.J., M.C. Pérez-Camino, G. Márquez-Ruiz, and M.C. Dobarganes. Isolation and characterization of sucrose polyesters, 385
See Márquez-Ruiz, G.
Roach, J.A.G. See Yurawecz, M.P.
Robert, P. See Safar, M.
Roberts, C. See Bewig, K.M.
Robles Medina, A. See Molina Grima, E.
Robley, E.M. See Basu, H.N.
Rojas, J.M., H. Serruya, and M.H.S. Bentes. Chemometric classification of two peach palm (*Bactris gasipaes* H.B.K.) landraces (Juruá and Vaupes), 127
Romanczyk, Jr., L.J. See Carpenter, D.R.
Rosati, R. See Wu, Y.V.
Rosen, M.J. See Gao, T.
Rosi, M. See Damiani, P.
Rossell, J.B. See Gordon, M.H.
Rua, P. See Kallio, H.
Rubel, G. Simultaneous determination of oil and water contents in different oilseeds by pulsed nuclear magnetic resonance, 1057

S

Sacchi, R. See Medina, I.
Saeed, M.T., J. Mustafa, A. Rauf, and S.M. Osman. Convenient preparation of methyl 10-(1,3,2-oxazaphospholidin-2-one)undecanoate and methyl 10-(1,3,2-diazaphospholidin-2-one)undecanoate, 659
Safar, M., D. Bertrand, P. Robert, M.F. Devaux, and C. Genot. Characterization of edible oils, butters and margarines by Fourier transform infrared spectroscopy with attenuated total reflectance, 371
Safari, M., and S. Kermasha. Interesterification of butterfat by commercial microbial lipases in a cosurfactant-free microemulsion system, 969
Sakamoto, M. See Watanabe, S.
Sánchez Pérez, J.A. See Molina Grima, E.
Santinelli, F. See Damiani, P.
Sarney, D.B., G. Fregapane, and E.N. Vulfson. Lipase-catalyzed synthesis of lysophospholipids in a continuous bioreactor, 93
H. Kapeller, G. Fregapane, and E.N. Vulfson. Chemo-enzymatic synthesis of disaccharide fatty acid esters, 711
See Fregapane, G.
Sarva Mangala, G.K. See Narasimhan, S.
Sasamoto, H. See Asano, H.
Saska, M. See Diack, M.
Sato, T., H. Abe, S. Kawano, G. Ueno, K. Suzuki, and M. Iwamoto. Near-infrared spectroscopic analysis of deterioration indices of soybeans for process control in oil milling plant, 1049
Application of principal-component analysis on near-infrared spectroscopic data of vegetable oils for their classification, 293
Saucedo, A. See Escolar, D.
Scarth, R. See Daun, J.K.
See Hu, X.
See Taylor, D.C.
See Ward, K.
Schäfer, H.J. See Multzsch, R.
Schenkel, E.P. See Spitzer, V.
Schieberle, P. See Gassenmeier, K.
Schmidt, W.W., W. Lilienthal, K.H. Raney, and S.T. Dubey. A novel dianionic surfactant from the reaction of C_{14}-alkenylsuccinic anhydride with sodium isethionate, 695
Schwartz, D.P., A.H. Rady, and S. Castañeda. The formation of oxo- and hydroxy-fatty acids in heated fats and oils, 441
Scott, K. See Haas, M.J.
Scott, M. See Proctor, A.
Sebedio, J-L. See Wolff, R.L.
Sedman, J. See van de Voort, F.R.
Seng, C.E. See Liew, K.Y.
Senske, G.E. See O'Brien, D.J.
Seo, C.W., C.H. Chiu, and R. Hodson. Dietary effect on ω3 fatty acid contents in hybrid striped bass, 661
Serruya, H. See Rojas, J.M.
Servidio, G. See Lercker, G.
Sessa, D.J. See Wu, Y.V.
Sesti Osséo, L. See Reverchon, E.
Shah, D.O. See Blute, I.
See Singh, C.P.
Shahidi, F. See Amarowicz, R.
See Wanasundara, U.N.
Shani, A. See Avidon, V.
Shaw, J-F., and S. Lo. Production of propylene glycol fatty acid monoesters by lipase-catalyzed reactions in organic solvents, 715
Shih, F.F. Interaction of soy isolate with polysaccharide and its effect on film properties, 1281
Shimada, Y., K. Maruyama, S. Okazaki, M. Nakamura, A. Sugihara, and Y. Tominaga. Enrichment of polyunsaturated fatty acids with *Geotrichum candidum* lipase, 951
Shimoni, E., R. Armon, and I. Neeman. Antioxidant properties of deferoxamine, 641
Shin, H.-S., and S.-W. Kim. Lipid composition of perilla seed, 619
Shishikura, A., K. Fujimoto, T. Suzuki, and K. Arai. Improved lipase-catalyzed incorporation of long-chain fatty acids into medium-chain triglycerides assisted by supercritical carbon dioxide extraction, 961
Shozen, K. See Li, N.
Shukla, V.K.S. See Syed Rahmatullah, M.S.K.
Sibeijn, M., E.K. Poels, A. Bliek, and J.A. Moulijn. Technological and economical aspects of the metathesis of unsaturated esters, 553
Siew, W.-L., Y.-A. Tan, and T.-S. Tang. Silica refining of palm oil, 1013
See Kuntom, A.
Sikora, M. See Kula, J.
Simoneau, C., P. Fairley, J.M. Krochta, and J.B. German. Thermal behavior of butterfat fractions and mixtures of tripalmitin and butterfat, 795
Simonetti, M.S. See Damiani, P.
Singh, C.P., D.O. Shah, and K. Holmberg. Synthesis of mono- and diglycerides in water-in-oil microemulsions, 583
P. Skagerlind, K. Holmberg, and D.O. Shah. A comparison between lipase-catalyzed esterification of oleic acid with glycerol in monolayer and microemulsion systems, 1405
Skagerlind, P. See Singh, C.P.
Smidovnik, A., J. Kobe, S. Leskovsek, and T. Koloini. Kinetics of catalytic transfer hydrogenation of soybean oil, 507
Smith, K.W., J.M. Perkins, B.S.J. Jeffrey, and D.L. Phillips. Separation of molecular species of *cis*- and *trans*-triacylglycerols in *trans*-hardened confectionery fats by silver-ion high-performance liquid chromatography, 1219
Smith, P.R., D.J. Cebula, and M.J.W. Povey. The effect of lauric-based molecules on trilaurin crystallization, 1367
Snyder, J.M., and J.W. King. Oilseed volatile analysis by supercritical fluid and thermal desorption methods, 261
Söderman, O. See Balinov, B.
Sokołowski, A. See Wilk, K.A.
Solinas, M. See Di Giovacchino, L.
Sonnet, P.E., G.P. McNeill, and W. Jun. Lipase of *Geotrichum candidum* immobilized on silica gel, 1421
Sørensen, H. See Ingvardsen, L.
Soulier, J. See Busson-Breysse, J.
Spitzer, V., S.A. de L. Bordignon, E.P. Schenkel, and F. Marx. Identi-

fication of nine acetylenic fatty acids, 9-hydroxystearic acid and 9,10-epoxystearic acid in the seed oil of *Jodina rhombifolia* Hook et Arn. (Santalaceae), 1343
F. Marx, and K. Pfeilsticker. Electron impact mass spectra of the oxazoline derivatives of some conjugated diene and triene C_{18} fatty acids, 873
Staby, A., C. Borch-Jensen, S. Balchen, and J. Mollerup. Supercritical fluid chromatographic analysis of fish oils, 355
Steffen, B. See Multzsch, R.
Stone, S.J. See Taylor, D.C.
Subrahmanyam, M.S.R., H.S. Vedanayagam, and P. Venkatacharyulu. Estimation of the Sharma constant and thermoacoustic properties of vegetable oils, 901
Suetake, T. See Tamura, T.
Sugihara, A. See Shimada, Y.
Sugimoto, K. See Ohishi, A.
Suortti, T. See Aura, A-M.
See Mustranta, A.
Suppo-Essayem, N. See Barrault, J.
Suzuki, K. See Sato, T.
Suzuki, Tateo, See Ashida, S.
Suzuki, Teruhiko, See Shishikura, A.
Swe, P.Z., Y.B. Che Man, H.M. Ghazali, and L.S. Wei. Identification of major triglycerides causing the clouding of palm olein, 1141
Syed Rahmatullah, M.S.K., V.K.S. Shukla, and K.D. Mukherjee. Enrichment of γ-linolenic acid from evening primrose oil and borage oil *via* lipase-catalyzed hydrolysis, 569
V.K.S. Shukla, and K.D. Mukherjee. γ-Linolenic acid concentrates from borage and evening primrose oil fatty acids *via* lipase-catalyzed esterification, 563
Sykes, D. See Melton, S.L.
Szajer, G. See Han, L-M.T.

T

Takagi, T., and Y. Ando. Separation of monoacylglycerols by high-performance liquid chromatography on nitrile-bonded phase, 459
Resolution of *vic*-dihydroxy acid diastereomers to four enantiomers by high-performance liquid chromatography, 547
Takaishi, N. See Urata, K.
Tamura, T., T. Suetake, T. Ohkubo, and K. Ohbu. Effect of alkali metal ions on gel formation in the 12-hydroxystearic acid/soybean oil system, 857
Tan, Y-A. See Kuntom, A.
See Siew, W.-L.
Tanaka, Y., J. Hirano, and T. Funada. Synthesis of docosahexaenoic acid-rich triglyceride with immobilized *Chromobacterium viscosum* lipase, 331
Tang, T.-S., K.-Y. Cheah, F. Mizukami, S. Niwa, and M. Toba. Hydrogenation of 9-octadecenoic acid by Ru-Sn-Al_2O_3 catalysts: Effects of catalyst preparation method, 501
See Siew, W.-L.
Tanner, D. See Lagerman, R.
Tano-Debrah, K., and Y. Ohta. Enzyme-assisted aqueous extraction of fat from kernels of the shea tree, *Butyrospermum parkii*, 979
Tautorus, C.L., and N.H. Low. Possible causes for decreased stability of canola oil processed from green seed, 1123
Tava, A. See Bianchi, G.
Taylor, D.C., S.L. MacKenzie, A.R. McCurdy, P.B.E. McVetty, E.M. Giblin, E.W. Pass, S.J. Stone, R. Scarth, S.R. Rimmer, and M.D. Pickard. Stereospecific analyses of seed triacylglycerols from high-erucic acid Brassicaceae: Detection of erucic acid at the *sn*-2 position in *Brassica oleracea* L. genotypes, 163
Thorsteinson, C.T. See Ward, K.
Tian, L.L., and P.J. White. Antioxidant activity of oat extract in soybean and cottonseed oils, 1079
and P.J. White. Antipolymerization activity of oat extract in soybean and cottonseed oils under frying conditions, 1087
Toba, M. See Tang, T.-S.
Tominaga, Y. See Shimada, Y.
Toney, C.J., F.E. Friedli, and P.J. Frank. Kinetics and preparation of amine oxides, 793
Toshima, K. See Matsumura, S.
Trigiano, M.K. See Melton, S.L.
Tucker, D.J. See Church, J.S.
Tungsubutra, T., and C.A. Miller. Effect of secondary alcohol ethoxylates on behavior of triolein–water–surfactant systems, 65
Turkulov, J. See Dimic, E.
Tüter, M. See Erdem-Şenatalar, A.

U

Ueno, G. See Sato, T.
Ueno, M. See Asano, H.
Unklesbay, N. See Bewig, K.M.
Urata, K., and N. Takaishi. The alkyl glycidyl ether as synthetic building blocks, 1027
Urushibata, M. See Ohishi, A.
Ushio, H. See Li, N.
Usuki, R. See Miyazawa, T.
Utsuno, K. See Ohishi, A.

V

Vaisey-Genser, M. See Malcolmson, L.J.
van de Voort, F.R., A.A. Ismail, J. Sedman, J. Dubois, and T. Nicodemo. The determination of peroxide value by Fourier transform infrared spectroscopy, 921
A.A. Ismail, J. Sedman, and G. Emo. Monitoring the oxidation of edible oils by Fourier transform infrared spectroscopy, 243
Varga, T.K., and L.L. Diosady. Simultaneous extraction of oil and antinutritional compounds from flaxseed, 603
Vasanth Kumar, A.K. See Narasimhan, S.
Vedanayagam, H.S. See Subrahmanyam, M.S.R.
Venkatacharyulu, P. See Subrahmanyam, M.S.R.
Venturini, S. See Lanzani, A.
See Mariani, C.
Vergara, R. See Cohen, L.
Vesonder, R.F. See Kaneshiro, T.
Viinanen, E., and A. Hopia. Reversed-phase high-performance liquid chromatographic analysis of triacylglycerol autoxidation products with ultraviolet and evaporative light-scattering detectors, 537
Vioque, E. See Vioque, J.
Vioque, J., J. Pastor, and E. Vioque. Leaf wax alcohols in *Coincya* (Brassicaceae), 671
Vitolo, M. See Gioielli, L.A.
Vlahov, G. See Bianchi, G.
Vulfson, E.N. See Fregapane, G.
See Sarney, D.B.

W

Wagner, F. See Multzsch, R.
Wan, P.J. See Chang, M.-K.
See Conkerton, E.J.
See Hron, Sr., R.J.
Wanasundara, U.N., and F. Shahidi. Canola extract as an alternative natural antioxidant for canola oil, 817
Wang, G.-W., X.-Y. Yuan, Y.-C. Liu, and X.-G. Lei. Preparation and properties of sulfonate salt-type cleavable surfactants with a 1,3-dioxane ring, 727
Ward, K., R. Scarth, J.K. Daun, and C.T. Thorsteinson. A comparison of high-performance liquid chromatography and spectrophotometry to measure chlorophyll in canola seed and oil, 931
R. Scarth, J.K. Daun, and C.T. Thorsteinson. Characterization of chlorophyll pigments in ripening canola seed (*Brassica napus*), 1327
R. Scarth, J.K. Daun, and C.T. Thorsteinson. Effects of processing and storage on chlorophyll derivatives in commercially extracted canola oil, 811

Warner, K., P. Orr, L. Parrott, and M. Glynn. Effects of frying oil composition on potato chip stability, 1117
FDA has not eliminated butylated hydroxyanisole as an acceptable food additive, 233
See Mounts, T.L.
Wärnheim, T. See Balinov, B.
Warwel, S. See Multzsch, R.
Watanabe, Kazunori, See Ohishi, A.
Watanabe, Kazuo, C. Ishikawa, H. Inoue, D. Cenhua, K. Yazawa, and K. Kondo. Incorporation of exogenous docosahexaenoic acid into various bacterial phospholipids, 325
Watanabe, S., H. Nakagawa, Y. Ohmori, T. Fujita, and M. Sakamoto. Characteristic properties of cutting fluid additives derived from the derivatives of ricinoleic acid polymers, 1003
Weete, J.D., S. Betageri, and G.L. Griffith. Improvement of lecithin as an emulsifier for water-in-oil emulsions by thermalization, 731
Preferential degradation of noncholine phosphatides in soybean lecithin by thermalization, 1195
See Mozaffar, Z.
Wei, L.S. See Swe, P.Z.
Weisleder, D. See Kaneshiro, T.
Wheeler, D. See Hall III, C.
White, P.J. See Tian, L.L.
Whitmarsh, R.H. See Nace, V.M.
Wilk, K.A., A. Bieniecki, B. Burczyk, and A. Sokołowski. Synthesis and hydrolysis of chemodegradable cationic surfactants containing the 1,3-dioxolane moiety, 81
Williams, P. See Daun, J.K.
Wilson, R.F. See Mounts, T.L.
Wolff, R.L., and J-L. Sébédio. Characterization of γ-linolenic acid geometrical isomers in borage oil subjected to heat treatments (deodorization), 117
Analysis of alpha-linolenic acid geometrical isomers in deodorized oils by capillary gas–liquid chromatography on cyanoalkyl polysiloxane stationary phases: A note of caution, 907
Contribution of *trans*-18:1 acids from dairy fat to European diets, 277
cis-trans Isomerization of octadecatrienoic acid during heating. Study of pinolenic (*cis*-5,*cis*-9,*cis*-12 18:3) acid geometrical isomers in heated pine seed oil, 1129
Wu, Y.V., R. Rosati, D.J. Sessa, and P. Brown. Utilization of protein-rich ethanol co-products from corn in tilapia feed, 1041

X

Xu, L., and L.L. Diosady. The production of Chinese rapeseed protein isolates by membrane processing, 935

Y

Yamane, T., S.T. Kang, K. Kawahara, and Y. Koizumi. High-yield diacylglycerol formation by solid-phase enzymatic glycerolysis of hydrogenated beef tallow, 339
Yang, J., L. Zhang, and X. Li. Quantitative determination of ethylene oxide oligomer distribution in ethoxylated alkylphenol carboxymethyl ether salts by thin-layer chromatography, 109
Yanishlieva, N.V. See Marinova, E.M.
Yap, S.C. See Ooi, C.K.
Yates, R.A. See Zhu, Z.Y.
Yazawa, K. See Watanabe, K.
Yella Reddy, S., and J.V. Prabhakar. Cocoa butter extenders from Kokum (*Garcinia indica*) and Phulwara (*Madhuca butyracea*) butter, 217
Yoon, S.H., and S.K. Kim. Oxidative stability of high-fatty acid rice bran oil at different stages of refining, 227
Yousif, G. See Kamal-Eldin, A.
Yuan, X.-Y. See Wang, G.-W.
Yurawecz, M.P., J.K. Hood, J.A.G. Roach, M.M. Mossoba, D.H. Daniels, Y. Ku, M.W. Pariza, and S.F. Chin. Conversion of allylic hydroxy oleate to conjugated linoleic acid and methoxy oleate by acid-catalyzed methylation procedures, 1149

Z

Zamora, R., J.L. Navarro, and F.J. Hidalgo. Identification and classification of olive oils by high-resolution ^{13}C nuclear magnetic resonance, 361
Zenchoff, G. See Maehr, H.
Zhang, F., S.S. Koseoglu, and K.C. Rhee. Effects of expander process on the phospholipids in soybean oil, 1145
Zhang, L. See Yang, J.
Zhu, Z.Y., R.A. Yates, and J.D. Caldwell. The determination of active filter aid adsorption sites by temperature-programmed desorption, 189
Zygadlo, J.A., R.E. Morero, R.E. Abburra, and C.A. Guzman. Fatty acid composition in seed oils of some Onagraceae, 915
See Grosso, N.R.